

Subject Index

Technical Information Papers

This document was last updated October 31, 2024

A

Abrasion

Selection criteria for wet end ceramics, [0502-15](#)

Abrasion resistance

Selection criteria for wet end ceramics, [0502-15](#)

Absorption

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Accessibility

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Acoustic Emission

See Nondestructive Tests

Acrylic fibers

see Polyacrylics, Synthetic fibers

Additives

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Adhesives

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Evaluating glue lap adhesive properties, [0304-16](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Techniques for bonding modern high-performance liners, [0304-40](#)

Techniques for running “WRA” (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

After dryers

Paper machine drying rate, [0404-07](#)

Agitation

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

Agitators

Guidelines for side-entering stock agitators, [0420-13](#)

Air

Paper machine room ventilation guidelines, [0404-50](#)

Air balance

see Air, Materials balance

Air flow

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

Air jets

Sheet handling devices, [0404-44](#)

Air permeability

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Air pollution

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Air staging

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Alignment

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Alkali

Specific heat of caustic soda solutions, [0606-07](#)

Alkaline sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C,

[0607-22](#)

Alkalinity

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Alumina

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Ammonia

Solubility of sulfur dioxide, [0607-06](#)

Analysis

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Angle of slide

see Slide angle

Anilox

Cleaning anilox rolls: procedures and options, [0306-18](#)

Anilox coaters

In-line coating at the corrugator, [0304-39](#)

Anilox rolls

see Flexography, Printing cylinders

Ink metering systems for corrugated flexo presses,

[0306-09](#)

Anvil Wear

Troubleshooting the Die Cutting Section, [0305-39](#)

Approach flow systems

Headbox approach piping guidelines, [0404-54](#)

Ash

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Drainage evaluation by mass measurement, [0502-12](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Atmosphere

Testing atmospheres simulating end use conditions,

[0808-05](#)

Attenuation

Headbox approach piping guidelines, [0404-54](#)

Auditing

Checklist for a properly planned project, [0408-01](#)

Automatic feeders

see Feeders

Automated Felt Scanner

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Automation

Industry 4.0 Lexicon, [1501-01](#)

Availability

Definitions of black liquor recovery furnace availability, [0416-02](#)

B

Backing Blade

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Bacteria

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Bags

Paper machine drying rate, [0404-07](#)

Bar Width Reduction (BWR)

see Product codes

Bar codes

see Product codes

Bases

see Hydroxides

Basis weight

Headbox approach piping guidelines, [0404-54](#)

Batch digesters

Guidelines for inspecting batch digesters, [0402-22](#)

Batch process

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

Bauxite

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Bearings

Corrugator bearing clearance checks and their impact, [0304-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Bearing failure

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Biocide

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

Biomass

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Biomechanics

see Human factors

Bisulfites

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Black liquor

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Black Oxide

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Blade

Paper machine doctor recommendations, [0404-67](#)

Blade coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Blade holder

Paper machine doctor recommendations, [0404-67](#)

Bleach plants

Bleaching plant washer efficiency guide, [0606-23](#)

Bleached board

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Bleaching

Boiling point rise of spent sulfite liquors, [0607-21](#)

Cotton in nonwovens, [1205-02](#)

Chlorine gas curve, [0606-02](#)

Definitions of terms in the sulfite pulping process,

[0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of chlorine gas, [0606-03](#)

Density of milk of lime solution, [0607-05](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Recommended pulp bleaching stage designation method,

[0606-21](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions,

[0607-07](#)

Specific gravity and density of caustic soda solutions,

[0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C,

[0607-22](#)

Viscosity of liquid chlorine [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Bleaching stages

see Bleaching

Blind-drilled rolls

see Vacuum rolls

Blistering

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Blow boxes

Sheet handling devices, [0404-44](#)

Blow-through steam

Recommended Dryer Differential Pressures, [0404-31](#)

Blowdown

see also Blowing

Blowing

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Board

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Board caliper

see Thickness

Boiler feed water

see Boilers, Feedwater

Boiler tubes

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Boilers

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Bonding

Techniques for bonding modern high-performance liners, [0304-40](#)

Box compression

see Compression strength

Box flaps

see Flaps

Box machines

Troubleshooting a glue lap problem, [0304-10](#)

Box plants

see Converting plants

Boxes

Corrugated boxplant-list of potential hazards, [0301-01](#)

Critical properties to consider when unitizing, [0304-72](#)

High vacuum sheet dewatering, [0404-60](#)

Broke

Broke loss calculations, [0502-10](#)

Bronze

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Weld repairs on new suction roll shells, [0402-17](#)

Bulky

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Burners

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Burst testers

Calibration and maintenance of the burst tester, [0304-24](#)

Butt joints

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Butt welds

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

C

CADCAM

CONEG

see Regulations

Cadmium

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Calcination

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Calcium base liquors

Solubility of sulfur dioxide, $\text{Ca}(\text{HSO}_3)_2$ solutions, [0607-07](#)

Calcium bisulfite

Solubility of sulfur dioxide, $\text{Ca}(\text{HSO}_3)_2$ solutions, [0607-07](#)

Calcium carbonate

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Calcium hydroxide

Density of milk of lime solution, [0607-05](#)

Calculations

see Computation

Calibration

Basic guidelines for image analysis measurements, [0804-09](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Calibration and maintenance of the burst tester, [0304-24](#)

Suggestions for developing a box plant quality manual, [0304-49](#)

Caliper

see Thickness

Canadian standard freeness

Interconversion of freeness, [0809-01](#)

Carbon steel

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Carbonates

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Cartridges

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Cast iron

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Castings

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Caustic soda

see Sodium hydroxide

Causticizing

Material balance equations relating to digester requirements, [0418-02](#)

Centrifugal Cleaner

Introduction to centrifugal cleaners, [0508-10](#)

Ceramics

Selection criteria for wet end ceramics, [0502-15](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Certification

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Chalk

see Calcium carbonate

Chambered Doctor Blade

Ink metering systems for corrugated flexo presses, [0306-09](#)

Charting

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control - procedures for charting warp, [0304-13](#)

Checklist

see Maintenance

Chemical Cleaning

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Chemical preparation

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Chemical properties

Chlorine dioxide (ClO_2) safe storage and handling, [0606-30](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Magnesia-base pulping solutions, [0607-04](#)

Sodium chlorate (NaClO_3) safe handling and storage, [0606-31](#)

Chemical pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, $\text{Ca}(\text{HSO}_3)_2$ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C,

[0607-22](#)

Chemical Recovery

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

Chemicals

Material safety data sheets, what to look for - how to understand them, [0304-38](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Chests

see Stock chests

Chip silos

see Chip bins

Chlorides

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Chlorine

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Viscosity of liquid chlorine, [0606-05](#)

Chlorine dioxide

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Chrome

Tests for corrugator roll wear, [0304-53](#)

Chromium

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Clad-steel plate

see Plates

Classification

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

Clay

Kaolin clay pigment index, [0106-06](#)

Physical data of calcined kaolin-water suspensions, [0106-09](#)

[0106-02](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

[0106-02](#)

Cleaners

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Cleaning

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Daily, weekly, and monthly maintenance checklists, [0305-34](#)

Dryer fabric cleaning, [0404-38](#)

Housekeeping guidelines, [0305-32](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Cleaning chemicals

see Cleansers

Clogging

Nozzle maintenance and clogging, [0420-15](#)

Clothing

see Felts, Machine clothing

Coating

Kaolin clay pigment index, [0106-06](#)

Coating color

see Color

Coating thickness

Tests for corrugator roll wear, [0304-53](#)

Coatings

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Tests for corrugator roll wear, [0304-53](#)

Coefficient of friction

see Friction factor

Combination Metering System

Ink metering systems for corrugated flexo presses, [0306-09](#)

Combined boards

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Obtaining off the corrugator for use in statistical process control procedures, [0304-12](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Compressibility

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Compression

Corrugated caliper: why is it so important?, [0304-04](#)

Compression resistance

see Compression strength

Compression strength

Corrugated caliper: why is it so important?, [0304-04](#)

Obtaining a combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Computation

Paper machine drying rate, [0404-07](#)

Computer-assisted

see CAD/CAM

Concentration

Best Practices for Consistency Measurement, [1101-07](#)

Concentricity

Total indicated runout and its impact on combined board quality, [0304-56](#)

Condensate

Application of dryer bars, [0404-35](#)

Condensates

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Measurement of dryer condensing rates (continuous method), [0404-03](#)

Measurement of dryer condensing rates (vertical separator method), [0404-18](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Condensation

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Condensing rates

see Condensation

Conditioning

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Conductivity

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Confined Space

Improving safety training – a hands on approach, [1502-01](#)

Conical refiners

Conical refining intensity, [0508-07](#)

Conservation

Paper Machine Water Efficiency, [0502-22](#)

Consistency

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for Retention Measurements, [0502-13](#)

Generalized method for determining the pipe friction loss of flowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Best Practices for Consistency Measurement, [1101-07](#)

Construction materials

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Consumption

Paper Machine Water Efficiency, [0502-22](#)

Contact bearings

see Bearings

Contact technique

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Container boards

Friction -- slide angle, [0304-34](#)

Contaminants

see Impurities

Contamination

see Pollution control

Continuous digesters

Guidelines for inspection of continuous digesters and

impregnation vessels, [0402-27](#)

Contraction

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Control charts

see Charting

Control systems

Industry 4.0 Lexicon, [1501-01](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Conversion factors

Units of measurement and, [0800-01](#)

Converting factors

Moisture content of paper: terminology and conversion, [0808-02](#)

Converting plants

Boxplant quality measurement: why test?, [0304-02](#)

Corrugated boxplant - list of potential hazards, [0301-01](#)

Machinery considerations and selection, [0305-06](#)

Coolers

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Copper

The role of copper in a printing ink, [0304-61](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Cores

Determination of winder sets per reel, [0502-02](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

Correlation

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Corrosion

see also Corrosion inhibitors

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Nozzle maintenance and clogging, [0420-15](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Corrosion prevention

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Corrugated boards

The role of copper in a printing ink, [0304-61](#)

Critical properties to consider when unitizing, [0304-72](#)

Important quality parameters of a printing ink, [0304-59](#)

Obtaining caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control friction-slide angle, [0304-34](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

Corrugated boxes

see Boxes, Corrugated boards

Corrugated containers

see Boxes, Corrugated board, Folder gluers, Die cutters

Corrugated medium

An alternative method for designating flute sizes, [0302-04](#)

Corrugating

An alternative method for designating flute sizes, [0302-04](#)

Corrugating adhesives

see Adhesives

Corrugating machines

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with "NCR" paper, [0304-62](#)

Conducting a corrugator temperature audit, [0304-65](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Prevention of score cracking in a box plant, [0304-37](#)

Starch viscosity in corrugating adhesives,

[0304-15](#)

Tests for corrugator roll wear, [0304-53](#)

Corrugating medium

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Paper machine performance guidelines, [0404-47](#)

Paper machine drying rate, [0404-07](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

Corrugating plants

see Operations

Corrugating rolls

see Rolls

Corrugator-double backer

see Corrugating machines

Corrugators

see also Corrugating machines

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Costs

Press section economic evaluation, [0404-22](#)

Cotton

In nonwovens, [1205-02](#)

Couch rolls

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Cover

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

Cracks

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Creasing

Troubleshooting the Die Cutting Section, [0305-39](#)

Creping

Yankee Doctor Operational Guidelines, [0425-11](#)

Crescent formers

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Cross direction

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

Crown

see Roll crown

Crush

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Cubical contents

see Volumetry

Curing

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Curtain coating

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Cutters

see Die cutters

Cutting

Troubleshooting the Die Cutting Section, [0305-39](#)

Cutting dies

see Die cutters, Rotary machines

Cylinder Machines

Paper Machine Vacuum System Selection Factors, [0502-01](#)

D

Damage

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Dancer Rolls

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Dandy rolls

Dandy roll applications, [0404-53](#)

Data storage

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Data tables

Moisture content of paper: terminology and conversion, [0808-02](#)

Deaerators

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Deaeration

Headbox approach piping guidelines, [0404-54](#)

Debris Removal

Introduction to centrifugal cleaners, [0508-10](#)

Defects

Addendum to *Corrugating Defect Terminology Manual* -- defects related to the use of fingerless singlefacers, [0304-17](#)

Corrugator bearing clearance checks and their impact, [0304-47](#)

Definitions

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

Deformation

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Degradation

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Densified liners

see Liners

Density

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Density of chlorine gas, [0606-03](#)

Milk of lime solution, [0607-05](#)

Physical data of calcined kaolin-water suspensions,

[0106-09](#)

Physical data of calcium carbonate-water suspensions,

[0106-01](#)

Physical data of hydrous Kaolin-water suspensions,

[0106-02](#)

Sodium sulfite solution, [0607-18](#)

Specific gravity and density of caustic soda solutions,

[0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Density Gradient

The Impact of Pressing on Web Densification, [0404-68](#)

Deposits

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Deterioration

see Degradation

Dewatering

see Drainage, Water removal

Diameter

Roll diameter for various reel spool and roll core sizes, [0502-03](#)

Dictionaries

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

Die cutters

see also Rotary machines

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Checklist: preparing die cuts for shipment, [0305-49](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Ordering steel rule cutting dies, [0305-21](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

Die Cutting

Troubleshooting the Die Cutting Section, [0305-39](#)

Die mounting

Ordering steel rule cutting dies, [0305-21](#)

Dieboard

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Diecut

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Differential pressure

Recommended Dryer Differential Pressures, [0404-31](#)

Differential steam pressures

see Pressure gradient

Digester balance equation

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

Digesters

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Digital control

Industry 4.0 Lexicon, [1501-01](#)

Dilution

Best Practices for Consistency Measurement , [1101-07](#)

Dirt

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Dirt Count

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Discharge

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Dispersions

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Dissolved oxygen

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Dissolving pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Doctor

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Doctors

Paper machine doctor recommendations, [0404-67](#)

Doctor Blade Holder

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Doctor blades

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)
Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Documentation

Press fabric record book, [0404-21](#)

Suggestions for developing a box plant quality manual,

[0304-49](#)

Doublefacers

Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)

Splicer defects and cures, [0304-31](#)

Doublewall corrugated boards

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Downtime

Definitions of black liquor recovery furnace availability, [0416-02](#)

Drainage

Drainage evaluation by mass measurement, [0502-12](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

High vacuum sheet dewatering, [0404-60](#)

Interconversion of freeness, [0809-01](#)

Drainage factor

Interconversion of freeness, [0809-01](#)

Drapability

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Dry bulb temperature

Relative humidity tables, [0808-06](#)

Dry ends

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Dry felts

Recommended tensions in dryer fabrics, [0404-04](#)

Dryer bars

Application of dryer bars, [0404-35](#)

Dryer condensing rates

see Dryers

Dryer fabric

Dryer fabric cleaning, [0404-38](#)

Recommended tensions in dryer fabrics,

Dryer felts

see also Felts

Methods to minimize sheet rewet in the press section,

[0404-59](#)

Dryer hoods

see Exhaust hoods

Dryer pockets

Recommended minimum dryer pocket air requirements, [0404-17](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Dryer sections

Performance of, [0404-33](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Sheet handling devices, [0404-44](#)

Dryers

Application of dryer bars, [0404-35](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Dryer condensing rates (vertical separator method), [0404-18](#)

Dryer fabric cleaning, [0404-38](#)
Dryer section performance monitoring, [0404-33](#)
Dryer surface temperature measurement, [0404-39](#)
Drying and curing techniques for in-line flexographic printing, [0306-06](#)
Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)
Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)
High-velocity dryers, [0404-05](#)
Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)
Paper machine drying rate, [0404-07](#)
Papermaker's formulas, [0502-17](#)
Press fabric record book, [0404-21](#)
Recommended Dryer Differential Pressures, [0404-31](#)
Recommended minimum dryer pocket air requirements, [0404-17](#)
Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)
Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)
Steam shower applications in the forming and press section, [0404-58](#)
Thermocompressor Applications for Paper Drying, [0404-66](#)
Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)
Yankee dryer steam condensing rates, [0404-49](#)

Drying
Dryer condensing rates (continuous method), [0404-03](#)
Dryer condensing rates (vertical separator method), [0404-18](#)
Dryer section performance monitoring, [0404-33](#)
Drying and curing techniques for in-line flexographic printing, [0306-06](#)
Paper machine drying rate, [0404-07](#)
Through drying, [0404-25](#)

Drying rate
see Drying

Duplex stainless steel
see Stainless steel

Durometer
A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Dust
Paper machine room ventilation guidelines, [0404-50](#)

E

Economics

Press section economic evaluation, [0404-22](#)

Economizers

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Edge crush tests (ECT)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Edge Fingers

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Efficiency

Paper machine performance guidelines, [0404-47](#)

Press section monitoring, [0404-19](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Paper Machine Water Efficiency, [0502-22](#)

Elastomers

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Electrical

Improving safety training – a hands on approach, [1502-01](#)

Electromagnetic flow meters

See Flow meters

Elliptical technique

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Emissions

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Employee injuries

see Human factors

Enclosure

Improving safety training – a hands on approach, [1502-01](#)

Energy

Paper machine energy conservation, [0404-63](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Paper Machine Water Efficiency, [0502-22](#)

Energy conservation

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Paper machine room ventilation guidelines, [0404-50](#)

Enthalpy

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Environmental factors

see Environments

Environments

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Gaseous ozone (O₃) safe handling, [0606-28](#)

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)
Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Equations

Papermaker's formulas, [0502-17](#)

Equilibrium

Relative humidities over saturated salt solutions, [0808-03](#)

Equipment

Starch adhesive trial, [0304-22](#)

Quality techniques using existing equipment, [0306-11](#)

Ergonomics

see Human factors

Erosion

Nozzle maintenance and clogging, [0420-15](#)

Evaluation

see also Performance

Drainage evaluation by mass measurement, [0502-12](#)

Evaporation

see also Drying

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Evaporators

Recommended test procedure for black liquor evaporators, [0416-11](#)

Exhaust gas

Paper machine room ventilation guidelines, [0404-50](#)

Collection and burning of pulp noncondensable gases: regulations, design and operation, [0416-09](#)

Exhaust hoods

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Extrusion coating

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

F

Fabric

See also Forming fabrics, Dryer felts

Fabrics

Dryer fabric cleaning, [0404-38](#)

FAC

Guidelines for Detection, Monitoring and Prevention of Flow Accelerated Corrosion (FAC) in the Pulp and

Paper Mill, [0402-36](#)

Fall

Improving safety training – a hands on approach, [1502-01](#)

Fall Protection

Improving safety training – a hands on approach, [1502-01](#)

Fan pumps

Headbox approach piping guidelines, [0404-54](#)

Fatigue

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Feed section

see Feeding

Feedback control

see Control systems

Feeders

Material handling considerations for flexo folder gluers, [0305-54](#)

Feedwater

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Felts

see also Press felts

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Methods to minimize sheet rewet in the press section, [0404-59](#)

Press fabric record book, [0404-21](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Water permeability of press fabrics, [0404-43](#)

Fiber length

Cotton in nonwovens, [1205-02](#)

Fiberboards

see Boxes, Corrugated boards

Fiberglass-reinforced plastic

see Plastic

Fibrillation

Refiner systems: their inspection and maintenance, [0508-06](#)

Field tests

see Test methods

Filler

Kaolin clay pigment index, [0106-06](#)

Film

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Quality techniques using existing equipment, [0306-11](#)

Filters

Paper machine room ventilation guidelines, [0404-50](#)

Fine papers

Paper machine drying rate, [0404-07](#)

Fines Retention

see Retention

Fingerless singlefacers

see Singlefacers

Fingerprints

Quality techniques using existing equipment, [0306-11](#)

Fire Brick

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

First Pass Ash Retention

see Retention

First Pass Retention

see Retention

Flaps

Understanding and troubleshooting hot melt adhesives,

[0304-74](#)

Flat boxes

see Vacuum boxes

Flaw Detectors

Guidelines for the In-Service Detection of Acoustic

Emission Indications in Yankee Dryers, [0425-08](#)

Flexibility

Tactile Evaluation of Softness of Tissue - Panel Methods,

[0808-08](#)

Flexible packaging

Guidelines for Tension During Web Conveyance and for

Winding, [0200-01](#)

Flexo folder-gluers

see Folder gluers, Die cutters, Rotary machines

Flexo ink

Proofing of a flexo printing ink, [0304-60](#)

Flexo printing

Proofing of a flexo printing ink, [0304-60](#)

Flexography

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment,

[0306-15](#)

Quality techniques using existing equipment, [0306-11](#)

Overview of the selection process for a laser engraved

ceramic anilox roll, [0306-17](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

Flow

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Guidelines for Detection, Monitoring and Prevention of Flow Accelerated Corrosion (FAC) in the Pulp and Paper Mill, [0402-36](#)

Paper machine shower recommendations, [0404-61](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Flow measurement

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

Flow meters

Best Practices for Magnetic Flow Meters, [1101-06](#)

Flow rates

see Flow measurement

Flow transmitters

Best Practices for Magnetic Flow Meters, [1101-06](#)

Flow tube

Best Practices for Magnetic Flow Meters, [1101-06](#)

Fluff pulp

Paper machine performance guidelines, [0404-47](#)

Flumes

Weirs and flumes, [0410-10](#)

Fluoropolymers

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Flutes

An alternative method for designating flute sizes, [0302-04](#)

Fogging

Steam shower applications in the forming and press section, [0404-58](#)

Folder gluers

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Proper use of pull bands, [0305-18](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Folding

Folding section, [0305-42](#)

Formaldehyde**Formation**

Dandy roll applications, [0404-53](#)

Forming

Forming section monitoring, [0502-14](#)

Paper machine doctor recommendations, [0404-67](#)

Paper machine shower recommendations, [0404-61](#)

Steam shower applications in the forming and press section, [0404-58](#)

Forming fabrics

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Water permeability of press fabrics, [0404-43](#)

Forming sections

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Fossil fuels

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Fourdrinier machines

Control of stock activity on a fourdrinier table, [0410-08](#)
Drainage performance evaluation – blow test method, [0410-07](#)

Papermaker's formulas, [0502-17](#)

Free sheet

Paper machine drying rate, [0404-07](#)

Freeness

Interconversion of, [0809-01](#)

Friction

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Friction factor

Statistical process control friction - slide angle, [0304-34](#)

Fuel oil

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Furnaces

see Recovery furnaces

G

Gas

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Gauges

see Measuring instruments

Gel temperature

see Gels

Gelatinization temperature

see Gels

Gels

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Statistical process control of starch gelatinization

temperature, [0304-14](#)

Gin notes

see Cotton

Ginning

see Cotton

Glass fibers

Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Glossaries

see Nomenclature

A glossary of terms used in refining, [0508-02](#)

Glue

Evaluating glue lap adhesive properties, [0304-16](#)

Extruded glue mechanism supplement, [0305-43](#)

Folding section, [0305-42](#)

Glue lap

see Glued joints

Glue machine

see Gluers

Glue pattern

see Gluing

Glued joints

Troubleshooting a glue lap problem, [0304-10](#)

Gluers

Causes and corrections of common corrugator bonding

problems, [0304-32](#)

How to prevent score cracking in a box plant, [0304-37](#)

Improved techniques to measure corrugator glue machine meter gaps, [0304-68](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Troubleshooting a glue lap problem, [0304-10](#)

Gluing

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Gluing machines

see Gluers

Grab truck

see Lift trucks

Granite

Roll material and surface requirements, [0404-41](#)

Green liquors

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

Grinders

Grinder pulpstones – cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

Grinding

Granite roll material and surface requirements, [0404-41](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Grinding

Yankee dryer thermal spray coating, [0425-09](#)

Ground calcium carbonate (GCC)

see Calcium carbonate

Guards

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Guarding

Improving safety training – a hands on approach, [1502-01](#)

Guides

Press fabric guiding, [0404-64](#)

Guide rolls

Press fabric guiding, [0404-64](#)

H

Halogens

see specific term, e.g., Chlorine

Hand feel

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Hardness

Measuring the Pusey and Jones indentation of elastomeric roll cover materials [0420-09](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Hazards

Corrugated boxplant-list of potential hazards, [0301-01](#)

Material safety data sheets, what to look for - how to understand them, [0304-38](#)

Hazardous materials

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Material safety data sheets – what to look for, how to understand them, [0304-38](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Understanding hazardous materials warning labels, [0304-41](#)

Headboxes

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Papermaker's formulas, [0502-17](#)

Headbox approach piping guidelines, [0404-54](#)

Heat

Paper machine room ventilation guidelines, [0404-50](#)

Paper Machine Water Efficiency, [0502-22](#)

Heat content

see Enthalpy

Heat of vaporization

Liquid chlorine, [0606-04](#)

Heat recovery

Paper machine room ventilation guidelines, [0404-50](#)

Heat transfer

Application of dryer bars, [0404-35](#)

Heat transfer coefficient

Recommended test procedure for black liquor evaporators, [0416-11](#)

Heating

Conducting a corrugator temperature audit, [0304-65](#)

Heating equipment

Steam shower applications in the forming and press section, [0404-58](#)

Heavy metals

see Metals

Hematite

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

High density liners

see Liners

High intensity presses

Terminology for high temperature pressing, [0404-48](#)

High performance liners

see Liners

High temperature

Terminology for high temperature pressing, [0404-48](#)

High vacuum

High vacuum sheet dewatering, [0404-60](#)

Hoods

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood

Air Systems, [0425-07](#)

Hot melts

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Hot pressing

Terminology for high temperature pressing, [0404-48](#)

Housekeeping

see Maintenance, Cleaning

Humidity

Dryer section performance monitoring, [0404-33](#)

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Psychrometric charts, [0404-45](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Relative humidity tables, [0808-06](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Humidity measurement

Relative humidity tables, [0808-06](#)

Humidity rooms

Paper test rooms: design considerations, [0808-04](#)

Hydraulics

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Hydrocyclones

Introduction to centrifugal cleaners, [0508-10](#)

Hydrogen peroxide

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Hydroxides

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Hypochlorite bleaching

see Hypochlorites, Bleaching

Illumination

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Image analysis

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Image quality

Guideline for obtaining high quality radiographic testing

of butt welds in boiler tubes, [0402-33](#)

Impregnation

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Impulse drying

see Drying

Impurities

Dryer fabric cleaning, [0404-38](#)

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

In-plane stiffness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

In-process checklist

see Production

Infiltration

Paper machine room ventilation guidelines, [0404-50](#)

Information systems

Industry 4.0 Lexicon, [1501-01](#)

Infrared detectors

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Infrared dryers

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Ink

The role of copper in a printing ink, [0304-61](#)

Quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

Ink printing proofs

Proofing of a flexo printing ink, [0304-60](#)

Inorganic salts

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Inspection

Guidelines for inspecting batch digesters, [0402-22](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Inspection of continuous digesters and impregnation vessels, [0402-27](#)

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Guidelines for nondestructive examination of suction roll

shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Installation

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Instrumentation

Press section monitoring, [0404-19](#)

Instruments

Forming section monitoring, [0502-14](#)

Insulating

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Insulation

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Intensity

Conical refining intensity, [0508-07](#)

Interlock

Improving safety training – a hands on approach, [1502-01](#)

Internal bond strength

Troubleshooting a glue lap problem, [0304-10](#)

IR

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Iron

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

J

Jet dryers

Methods of evaluating high velocity dryers, [0404-05](#)

Jet velocity

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Jets

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Flow from a vertical slice, [0410-02](#)

Joints

Troubleshooting a glue lap problem, [0304-10](#)

Jordans

see Conical refiners

Journals (Documents)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Jumbo rolls

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

K

Kaolin

Kaolin clay pigment index, [0106-06](#)

Kraft papers

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Kraft pulping

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

L

Labels

Understanding hazardous materials warning labels, [0304-41](#)

Laboratories

Paper test rooms: design considerations, [0808-04](#)

Laminates

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Languages

Common or local names for a nonwood fiber raw material, [0609-01](#)

Lead

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Leakage

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Explanation of recovery boiler leak indications, [0416-23](#)

LED UV

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

Lignosulfonates

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process,

[0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions,

[0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C,

[0607-22](#)

Lime

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Lime Kiln

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Lime mud

see White liquor mud

Lime-base solutions

see Calcium base liquors

Linerboards

Paper machine drying rate, [0404-07](#)

Liners

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Edge crush test (ECT): its relationship to box compression and its derivation from containerboard edge stiffness, [0304-09](#)

Paper machine performance guidelines, [0404-47](#)

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Splicer defects and cures, [0304-31](#)

Techniques for bonding modern high-performance liners, [0304-40](#)

Line Break

Improving safety training – a hands on approach, [1502-01](#)

Lining

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Linters

Cotton in nonwovens, [1205-02](#)

Load Cells

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Locking

Improving safety training – a hands on approach, [1502-01](#)

Lockout Tagout

Improving safety training – a hands on approach, [1502-01](#)

Lubrication

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

M

Machine clothing

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine clothing performance analysis, [0404-26](#)

Machine direction

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Machine operation

see also Maintenance

Machine rooms

Paper machine room ventilation guidelines, [0404-50](#)

Machine speed

Pulpstone speed chart, [0605-02](#)

Machine vision

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Machinery

Machinery considerations and selection, [0305-06](#)

Macro-surface variations

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Mag meters

Best Practices for Magnetic Flow Meters, [1101-06](#)

Magnetometers

Best Practices for Magnetic Flow Meters, [1101-06](#)

Magnesia

see Magnesium oxide

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Magnesium bisulfite

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Magnesium bisulfite liquor

see Magnesium base liquors

Magnesium oxide

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Magnetic

Best Practices for Magnetic Flow Meters, [1101-06](#)

Magnetic flow meters

See Flow meters

Magnetic flow tube

See Flow tube

Magnetite

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Maintenance

Calibration and maintenance of the burst tester, [0304-24](#)

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Checking the parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Cleaning anilox rolls: procedures and options, [0306-18](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)

Daily, weekly, and monthly maintenance checklists, [0305-34](#)

Extruded glue mechanism supplement, [0305-43](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Housekeeping guidelines, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Nozzle maintenance and clogging, [0420-15](#)

Rotary cutting die maintenance, [0305-23](#)

Rotary die cutter urethane anvil cover maintenance, [0305-35](#)

Tests for corrugator roll wear, [0304-53](#)

Troubleshooting a glue lap problem, [0304-10](#)

Weld repairs on new suction roll shells, [0402-17](#)

Improving safety training – a hands on approach, [1502-01](#)

Management

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Manuals

Suggestions for developing a box plant quality manual, [0304-49](#)

Manufacturers joints

Evaluating glue lap adhesive properties, [0304-16](#)

Folding section, [0305-42](#)

MAP

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Market pulps

Paper machine performance guidelines, [0404-47](#)

Mass

Drainage evaluation by mass measurement, [0502-12](#)

Material safety data sheets

see Safety

Materials

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Materials balance

Paper machine room ventilation guidelines, [0404-50](#)

Materials handling

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Gaseous ozone (O₃) safe handling, [0606-28](#)

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Material safety data sheets – what to look for, how to understand them, [0304-38](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

MAWP Alteration

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

McKee equation

see Edge crush tests

Measurement

Conducting a corrugator temperature audit, [0304-65](#)

Drainage evaluation by mass measurement, [0502-12](#)

Dryer condensing rates (batch method), [0404-02](#)

Dryer condensing rates (continuous method), [0404-03](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Units of and conversion factors, [0800-01](#)

Utilizing statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Best Practices for Consistency Measurement, [1101-07](#)

Measuring instruments

Gauge repeatability and reproducibility study, [0304-71](#)

Mechanical papers

Paper machine drying rate, [0404-07](#)

Mechanical Stop

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Medium

see Corrugating medium

Melting point

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Mercury

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Metallization

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Metals

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Methanol

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Micro-surface variation

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Micro-compressibility

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Microbes

see Bacteria

Micrometers

Calibration and maintenance of the manually operated micrometer, [0304-30](#)

Milk of lime solution

see Calcium hydroxide

Moisture

Determination of water removal by wet presses, [0404-01](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Steam shower applications in the forming and press section, [0404-58](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Moisture content

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Determination of water removal by wet presses, [0404-01](#)

Psychrometric charts, [0404-45](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Moisture control

Cotton in nonwovens, [1205-02](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Warp in corrugated board, [0304-07](#)

Moisture regain

see Moisture content, Sorption

Monitoring

Press section monitoring, [0404-19](#)

Monitors

Forming section monitoring, [0502-14](#)

Paper test rooms: design considerations, [0808-04](#)

Monoammonium Phosphate

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Monosulfite

see Neutral sulfite pulping

Motors

Paper machine room ventilation guidelines, [0404-50](#)

Mullen

see Burst strength

Multistage process

see Bleaching

National Fire Protection Association

Improving safety training – a hands on approach, [1502-01](#)

Natural gas

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Needle punched

see Needling

Needling

Cotton in nonwovens, [1205-02](#)

Neutral sulfite liquors

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Neutral sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Newsprint

Paper machine drying rate, [0404-07](#)

Paper machine performance guidelines, [0404-47](#)

Weight of newsprint rolls, [0502-11](#)

Nip

Methods to minimize sheet rewet in the press section, [0404-59](#)

Techniques for nip impressions, [0404-46](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Nip pressure

see Nip

Nitrogen oxides

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Nomenclature

Common or local names for a nonwood fiber raw material, [0609-01](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Retention definitions, [0402-13](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Sulfite pulping process, [0607-25](#)

Terminology for high temperature pressing, [0404-48](#)

Noncondensibles

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Nondestructive tests

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-31](#)

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Inspection of continuous digesters and impregnation vessels, [0402-27](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Nonwood fibers

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Common or local names for a nonwood fiber raw material, [0609-01](#)

Nonwood plants

Common or local names for a nonwood fiber raw material, [0609-01](#)

Nonwovens

Cotton in, [1205-02](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Nonwovens machines

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Nozzles

Nozzle maintenance and clogging, [0420-15](#)

Paper machine shower recommendations, [0404-61](#)

NSSC pulping

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

O

OEM Tolerances

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Opacifiers

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Open time

Troubleshooting a glue lap problem, [0304-10](#)

Openings

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Operations

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Machinery considerations and selection, [0305-06](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

Optical measurement

Basic guidelines for image analysis d, [0804-09](#)

Optimization

Press section optimization, [0404-52](#)

Orifices

see Openings

Overfire air

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Overlays

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Oxidation

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Oxygen

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Ozone

Gaseous ozone (O₃) safe handling, [0606-28](#)

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

P

Packaging

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Palletization

Checklist: preparing die cuts for shipment, [0305-49](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Panel

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Paper

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Kaolin clay pigment index, [0106-06](#)

Moisture content of paper: terminology and conversion, [0808-02](#)

Classification of Paper, Board, Tissue, and Pulp Grades, [0404-36](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Through drying, [0404-25](#)

Paper grades

Classification of Paper, Board, Tissue, and Pulp Grades,

[0404-36](#)

Paper machines

Automated Scanning for Moisture Content and Air Permeability on Paper Machine Felts, [0502-21](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine energy conservation, [0404-63](#)

Paper machine performance guidelines, [0404-47](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Papermaker's formulas, [0502-17](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Press section monitoring, [0404-19](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Water permeability of press fabrics, [0404-43](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Paper mills

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Paper rolls

see Rolls, Wound rolls

Paper stock

Guidelines for side-entering stock agitators, [0420-13](#)

Paperboard

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Papermakers alum

see Aluminum sulfate

Paraffin wax

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Papermaking

Papermaker's formulas, [0502-17](#)

Parallelism

see Alignment

Parameters

Paper machine performance guidelines, [0404-47](#)

Penetrants

Liquid penetrant testing of new suction roll shells, [0402-](#)

[11](#)

Performance

Dryer section performance monitoring, [0404-33](#)

Paper machine clothing performance analysis, [0404-26](#)

Paper machine room ventilation guidelines, [0404-50](#)

Press fabric record book, [0404-21](#)

Press section economic evaluation, [0404-22](#)

Press section optimization, [0404-52](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Performance evaluation

Methods of evaluating high velocity dryers, [0404-05](#)

Paper machine performance guidelines, [0404-47](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Performance tests

Performance test procedure for boilers using biomass as fuel, [0416-18](#)

Sampling procedures for biomass fuel for boiler performance testing, [0416-17](#)

Permeability

Water permeability of press fabrics, [0404-43](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Personnel Training

Improving safety training – a hands on approach, [1502-01](#)

Petroleum wax

see Paraffin wax

pH

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Phosphates

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Physical properties

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Chlorine gas curve, [0606-02](#)

Density of chlorine gas, [0606-03](#)

Heat of vaporization of liquid chlorine, [0606-04](#)

Magnesia-base pulping solutions, [0607-04](#)

Relative enthalpy (heat content) of sodium hydroxide solutions, [0606-08](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific gravity of sodium chloride solutions, [0606-10](#)

Viscosity of liquid chlorine, [0606-05](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Pigment

Kaolin clay pigment index, [0106-06](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Pilot paper machines

see Paper machines

Pilot plants

- Catalog of Stock Preparation Pilot Plants, [0502-20](#)
Pilot paper and wet laid nonwoven machines, [0502-16](#)
- Pin register**
see Register
- Pin register mounting**
see Register, Mounting
- Pin studs**
see Welding
- Piping**
Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)
Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)
Guide to the use of stainless steel pipe specifications, [0402-24](#)
Headbox approach piping guidelines, [0404-54](#)
- Pipeline**
Optimum consistency for pumping pulp, [0410-15](#)
- Planning**
Checklist for a properly planned project, [0408-01](#)
Maintenance considerations in new construction and rebuilds, [0408-02](#)
Safe Entry into a Yankee Dryer, [0425-10](#)
- Plastics**
Guidelines for inspecting used fiber-reinforced plastics (FRP) equipment, [0402-28](#)
- Plastometers**
Measuring the Pusey and Jones indentation of elastomeric roll cover materials [0420-09](#)
- Plates**
see also Printing plates, Refiner disks
Conducting a corrugator temperature audit, [0304-65](#)
Impact of doublebacker hot plate level on board quality and how to measure it, [0304-66](#)
- Plugging**
Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)
- Pocket humidity**
see Humidity
- Polishing**
Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)
- Polymers**
Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)
- Polyvinyl Acetate**
Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)
- Porosity**
Water permeability of press fabrics, [0404-43](#)
- Potassium**
Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)
Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)
- Precipitated calcium carbonate (PCC)**
see Calcium carbonate
- Precipitators**
Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)
Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)
- Prefeeder**
see Feeders
- Preheating**
Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)
- Preservatives**
Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)
- Press**
Methods to minimize sheet rewet in the press section, [0404-59](#)
Multiple-out rotary diecut stacking, [0305-47](#)
Stacking off the rotary diecutter, [0305-46](#)
- Press drying**
see also Drying
Terminology for high temperature pressing, [0404-48](#)
- Press fabric**
Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements, [0404-27](#)
Press fabric guiding, [0404-64](#)
- Press fabrics**
Press fabric record book, [0404-21](#)
Chemical cleaning guide for press fabrics, [0404-65](#)
Press section optimization, [0404-52](#)
- Press felts**
see also Felts
Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)
Press fabric guiding, [0404-64](#)
Thickness of wet press fabrics, [0404-28](#)
Water permeability of press fabrics, [0404-43](#)
- Press rolls**
Granite roll material and surface requirements, [0404-41](#)
Weld repairs on new suction roll shells, [0402-17](#)
- Press sections**
Determination of water removal by wet presses, [0404-01](#)
Press section economic evaluation, [0404-22](#)
Press section monitoring, [0404-19](#)
Press section optimization, [0404-52](#)
Sheet handling devices, [0404-44](#)
Steam shower applications in the forming and press section, [0404-58](#)
Water permeability of press fabrics, [0404-43](#)
- Presses**
Papermaker's formulas, [0502-17](#)
- Pressing**
Methods to minimize sheet rewet in the press section, [0404-59](#)
Paper machine doctor recommendations, [0404-67](#)
Paper machine shower recommendations, [0404-61](#)
Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)
The Impact of Pressing on Web Densification, [0404-68](#)
- Pressure**

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Techniques for nip impressions, [0404-46](#)

Pressure gradient

Thermocompressor Applications for Paper Drying, [0404-66](#)

Pressure roll

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Preventative maintenance

see Maintenance

Printing

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

The role of copper in a printing ink, [0304-61](#)

Important quality parameters of a printing ink, [0304-59](#)

Proper use of pull bands, [0305-18](#)

Quality techniques using existing equipment, [0306-11](#)

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Printing cylinders

Cleaning anilox rolls: procedures and options, [0306-18](#)

Identifying anilox roll volume measuring equipment, [0306-15](#)

Overview of the selection process for a laser engraved ceramic anilox roll, [0306-17](#)

Printing ink

see Ink

Printing papers

Paper machine drying rate, [0404-07](#)

Printing plates

Quality techniques using existing equipment, [0306-11](#)

Procedures

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Processes

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Process control

Obtaining combined board caliper off the corrugator for use in statistical procedures, [0304-12](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical of starch gelatinization temperature, [0304-14](#)

Statistical process control friction-slide angle, [0304-34](#)

Statistical process control -- procedures for charting warp, [0304-13](#)

Process Water

Flow determination by chemical method, [0410-09](#)

Production

Papermaker's formulas, [0502-17](#)

Profile

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Profiles

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Steam shower applications in the forming and press section, [0404-58](#)

Profiling Screws

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Project planning

see Planning

Projects

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Protective coatings

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Psychrometric charts

see also Humidity

Psychrometric charts, [0404-45](#)

Pull rolls

Pulp mill equipment

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Pulp mills

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Pulpers

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Pulping

Density of chlorine gas, [0606-03](#)

Pulpstones

Grinder pulpstones: cubical contents, [0605-01](#)

Pulpstone speed chart, [0605-02](#)

Pulp

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Paper machine drying rate, [0404-07](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Pulps

Best Practices for Consistency Measurement, [1101-07](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Pulp Cleaning

Introduction to centrifugal cleaners, [0508-10](#)

Pumping

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Optimum consistency for pumping pulp, [0410-15](#)

Pumps

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Purchase

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

PVA

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Pyrometry

Dryer surface temperature measurement, [0404-39](#)

Q

Qualification

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Quality

Box plant quality measurement: why test?, [0304-02](#)

Important quality parameters of a printing ink, [0304-59](#)

Quality techniques using existing equipment, [0306-11](#)

Starch adhesive trial, [0304-22](#)

Suggestions for developing a box plant quality manual,

[0304-49](#)

Quality control

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Guidelines for specification and inspection of electric resistance welded (ERW) and seamless boiler tube for critical and noncritical service, [0402-13](#)

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Quality manual

see Quality

R

Radiography

Guideline for obtaining high quality radiographic testing of butt welds in boiler tubes, [0402-33](#)

Raw materials

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Raw Yankee

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Recausticizing

see Causticizing

Reclaimed fibers

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Record books

see Documentation

Recovery

Best Practice for Recovery Boiler Inspection (Optimizing Inspection Scope), [0416-26](#)

Recovery boilers

Estimating the first melting temperature of fireside deposits in recovery boilers, [0416-12](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Guidelines for operating and maintenance practices

impacting an economizer on a recovery boiler, [0416-22](#)

Recovery boiler energy efficiency improvements, [0416-16](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Ultrasonic technician performance test for boiler tube thickness measurement, [0402-21](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Definitions of black liquor recovery furnace availability, [0416-02](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

Recovery furnaces

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Explanation of recovery boiler leak indications, [0416-23](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Recovery boiler performance calculation – short form, [0416-01](#)

Recycled fibers

see Reclaimed fibers

Recycled paperboard

Paper machine performance guidelines, [0404-47](#)

Recycled papers

Paper machine performance guidelines, [0404-47](#)

Red Oxide

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Reels

Determination of winder sets per reel, [0502-02](#)

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Refiner plates

see Refiner disks

Refiners

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-06](#)

Refining

A glossary of terms used in refining, [0508-02](#)

Conical refining intensity, [0508-07](#)

Refiner systems, their inspection and maintenance, [0508-06](#)

Refractory

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Regulating systems

see Control systems

Regulations

An explanation of the toxics in packaging (formerly CONEG) heavy metal guidelines, [0304-58](#)

Relative enthalpy

see Enthalpy

Relative humidity

see Humidity

Relief

Water quality and monitoring requirements for paper mill boilers, operating with high purity feedwater, [0416-03](#)

Removal

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

Repair

see Maintenance

Repeatability

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Reporting

Press fabric record book, [0404-21](#)

Replacement

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Reproducibility

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Resolution

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Retention

Guidelines for Retention Measurements, [0502-13](#)

Fourdrinier drainage performance evaluation – blow test method, [0410-07](#)

Reverse Angle Doctor Blade

Ink metering systems for corrugated flexo presses, [0306-09](#)

Reverse warp

see Warpage

Rewetting

Methods to minimize sheet rewet in the press section, [0404-59](#)

Rider rolls

Total indicated runout and its impact on combined board quality, [0304-56](#)

Ring crush/SCT resistance

Techniques for bonding modern high-performance liners, [0304-40](#)

Ring crush/SCT tests

Techniques for bonding modern high-performance liners, [0304-40](#)

Rod coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Rollers

Guidelines for Tension During Web Conveyance and for

Winding, [0200-01](#)

Roll cleaning

Paper machine doctor recommendations, [0404-67](#)

Roll coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Roll core

see Cores

Roll Cover Selection

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Roll crown

Techniques for nip impressions, [0404-46](#)

Roll density

see Rolls

Roll handling

see Materials handling, Jumbo rolls

Roll identification

see Rolls

Roll length

see Rolls

Roll number

see Rolls

Roll stands

Splicer defects and cures, [0304-31](#)

Roll tracking

see Rolls

Roll weight

see Rolls

Rolling contact bearings

see Bearings

Rolling scores

see Scores

Roller bearings

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Rolls

An alternative method for designating flute sizes, [0302-04](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Corrugator temperature audit, [0304-65](#)

Granite roll material and surface requirements, [0404-41](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Techniques for nip impressions, [0404-46](#)

Tests for corrugator roll wear, [0304-53](#)

Total indicated runout and its impact on combined board quality, [0304-56](#)

Weight of newsprint rolls, [0502-11](#)

Rotary

Troubleshooting the Die Cutting Section, [0305-39](#)

Rotary diecutter

see Rotary machines, Die cutters; *see also* Folder gluers

Rotary filters

Bleaching plant washer efficiency guide, [0606-23](#)

Rotary machines

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Cleanup procedures for flexo folder gluer/rotary diecutters, [0305-33](#)
Introduction to flexo folder gluer/rotary diecutter TIPS, [0305-04](#)
Ordering steel rule cutting dies, [0305-21](#)
Proper use of pull bands, [0305-18](#)
Rotary cutting die maintenance, [0305-23](#)
Rotary die cutter urethane anvil cover maintenance, [0305-](#)

[35](#)

Rotation

Pulpstone speed chart, [0605-02](#)

Roundness

see Shape

Roughness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Rubbing

see also Abrasion resistance

Runnability

Sheet handling devices, [0404-44](#)

S

Safety

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO₂) safe storage and handling,

[0606-30](#)

Corrugated boxplant-list of potential hazards, [0301-01](#)

Gaseous ozone (O₃) safe handling, [0606-28](#)

Housekeeping guidelines, [0305-32](#)

Hydrogen peroxide (H₂O₂) safe storage and handling,

[0606-24](#)

Material safety data sheets, [0304-38](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO₃) safe handling and storage,

[0606-31](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Sootblower Safety and Upgrade Guidelines, 0416-08

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Improving safety training – a hands on approach, [1502-01](#)

Safety Devices

Improving safety training – a hands on approach, [1502-01](#)

Safety Engineering

Improving safety training – a hands on approach, [1502-01](#)

Safety Equipment

Chlorine dioxide (ClO₂) safe storage and handling,

[0606-30](#)

Safety Measures

Improving safety training – a hands on approach, [1502-01](#)

Salt

see Sodium chloride

Sampling

Sampling procedures for biomass fuel for boiler performance

testing, [0416-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Best Practices for Consistency Measurement, [1101-07](#)

Saturated solutions

see Solutions

Scanners

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Scheduling

Checklist for a properly planned project, [0408-01](#)

Housekeeping guidelines, [0305-32](#)

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Schopper Riegler freeness

Interconversion of freeness, [0809-01](#)

Score breaks

How to prevent score cracking in a box plant, [0304-37](#)

Score cracks

see Score breaks

Scores

How to Minimize Rolling Scores in Diecutting Operations, [0304-64](#)

Preventing score cracking in a box plant, [0304-37](#)

Screens

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Seal water

see Sealants, Water

Seals

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Sealants

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Seamless materials

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Selection

Machinery considerations and selection, [0305-06](#)

Selective catalytic reduction

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Selective noncatalytic reduction

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Semichemical pulps

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process,

[0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions,

[0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

Sensitivity

Basic guidelines for image analysis measurements, [0804-09](#)

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Sensors

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

QCS Dynamic Sensor Correlation Sampling Method, [1101-04](#)

Moisture Dynamic Correlation Method, [1101-05](#)

Sensory Evaluation

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Servicing

Maintenance considerations in new construction and rebuilds, [0408-02](#)

Improving safety training – a hands on approach, [1502-01](#)

Setting time

Understanding and troubleshooting hot melt adhesives, [0304-74](#)

Shafts

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Shape

Total indicated runout and its impact on combined board quality, [0304-56](#)

Sheets

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Sheet water content

see Moisture content

Shells

Guidelines for inspection and nondestructive testing of paper machine dryers, [0402-16](#)

Weld repairs on new suction roll shells, [0402-17](#)

Shock drying

Terminology for high temperature pressing, [0404-48](#)

Showers

Paper Machine Clothing Cleaning and Conditioning for Recycled Fiber Use, [0404-51](#)

Paper machine shower recommendations, [0404-61](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

Steam shower applications in the forming and press section, [0404-58](#)

Chemical cleaning guide for press fabrics, [0404-65](#)

Silica

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Paper Machine Water Efficiency, [0502-22](#)

Silky

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Silos

Headbox approach piping guidelines, [0404-54](#)

Simulator

Improving safety training – a hands on approach, [1502-01](#)

Single Facers

Procedure for setting up a raw material trial on the corrugator, [0304-01](#)

Singlefacers

Addendum to *Corrugating Defect Terminology Manual* - defects related to the use of fingerless singlefacers, [0304-17](#)

Alternative method for designating flute sizes, [0302-04](#)

Causes and corrections of common corrugator bonding problems, [0304-32](#)

Checking the flute depth of corrugating rolls, [0304-75](#)

Parallel of corrugating rolls with “NCR” paper, [0304-62](#)

Preventing score cracking in a box plant, [0304-37](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Splicer defects and cures, [0304-31](#)

Siphons

Thermocompressor Applications for Paper Drying,

[0404-66](#)

Skid

Material handling considerations for flexo folder gluers, [0305-54](#)

Recommended Dryer Differential Pressures, [0404-31](#)

Slabbing

Broke loss calculations, [0502-10](#)

Slices

Flow from a 45° slice, [0410-03](#)

Flow from a nozzle (slice) with inclined upper lip, [0410-04](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Flow from a vertical slice, [0410-02](#)

Slide angle

Statistical process control, friction, [0304-34](#)

Slip

Improving safety training – a hands on approach, [1502-01](#)

Slurry

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Slushed paper stock

see Paper stock

Smearing

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Smog

Nitrogen oxide emissions control from biomass and kraft recovery boilers in the pulp and paper industry, [0416-25](#)

Smoothness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Sodium

Water quality and monitoring requirements for paper mill

boilers operating with high purity feedwater, [0416-03](#)

Sodium bicarbonate

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Sodium bisulfite

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Sodium borate

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Sodium carbonate

Density of aqueous sodium carbonate solution, [0607-14](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Sodium chlorate

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sodium chloride

Specific gravity of sodium chloride solutions, [0606-10](#)

Sodium hydroxide

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Relative enthalpy of solution, [0606-08](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific gravity and density of caustic soda solutions, [0606-20](#)

Specific heat of caustic soda solutions, [0606-07](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Sodium sulfite

Density of aqueous sodium sulfite solution, [0607-18](#)

Softness

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Solids content

Physical data of calcined kaolin-water suspensions, [0106-09](#)

Physical data of calcium carbonate-water suspensions, [0106-01](#)

Physical data of hydrous Kaolin-water suspensions, [0106-02](#)

Solubility

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Solutions

Equilibrium relative humidities over saturated salt solutions, [0808-03](#)

Specific heat of caustic soda solutions, [0606-07](#)

Sorption

Cotton in nonwovens, [1205-02](#)

Soot blowers

Recovery boiler sootblowers: practical guidelines, [0416-20](#)

Recovery boiler sootblowers: the basics, [0416-19](#)

Sootblower Safety and Upgrade Guidelines, [0416-28](#)

SPC techniques

see Statistical methods

Specialty coating pigment

see Pigment

Specialty papers

Paper machine performance guidelines, [0404-47](#)

Specific gravity

see Density

Specific heat

Specific heat of caustic soda solutions, [0606-07](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Specifications

Guideline specification for procurement of an economizer for a recovery boiler, [0416-21](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Speed

see Velocity

Spent sulfite liquors

Density of aqueous sodium sulfite solution, [0607-18](#)

Splicers

Splicer defects and cures, [0304-31](#)

Spools

Paper machine reel-spool journals: guidelines for crack testing and repair or replacement, [0402-34](#)

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

Spunlaced fabric

Cotton in nonwovens, [1205-02](#)

Spray coaters

see also Coaters

In-line coating at the corrugator, [0304-39](#)

Squaring

see Squared papers, Trimming

Stackers

Multiple-out rotary diecut stacking, [0305-47](#)

Stacking off the rotary diecutter, [0305-46](#)

Stacking

Corrugated caliper: why is it so important?, [0304-04](#)

Stacking strength

see Compression strength

Stainless steel

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Post-fabrication cleaning of stainless steel in the pulp and paper industry, [0402-35](#)

Weld repairs on new suction roll shells, [0402-17](#)

Standard conditions

Testing atmospheres simulating end use conditions, [0808-05](#)

Starch

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Starch adhesive trial, [0304-22](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Techniques for running "WRA" (water resistant starch adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Using washup water as the vehicle in starch-based corrugating adhesive, [0304-44](#)

Starch conversion

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical analysis

How to perform a gauge repeatability and reproducibility study, [0304-71](#)

Obtaining combined board caliper off the corrugator for use statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical distribution

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Statistical methods

Boxplant quality measurement: why test?, [0304-02](#)

Obtaining combined board caliper off the corrugator, [0304-12](#)

Procedures for charting warp, [0304-13](#)

Procedures for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Short-run statistical process control: a basic charting method, [0304-70](#)

Statistical process control: friction - slide angle, [0304-34](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Statistical process control

see Statistical methods

Statistical quality control

see Statistical methods

Statistics

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Starch viscosity in corrugating adhesives, [0304-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Status reports

see Reporting

Steam

Application of dryer bars, [0404-35](#)

Guide for increasing the maximum allowable working pressure of cast iron, ASME constructed paper machine dryers, [0420-14](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Response to contamination of high purity boiler feedwater, [0416-05](#)

Steam shower applications in the forming and press section, [0404-58](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Steam chests

Terminology for high temperature pressing, [0404-48](#)

Steam pressure

see Pressure gradient

Step-Up Strip

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Sterilization

Starch adhesive preparation and distribution systems: housekeeping, [0304-06](#)

Stiffness

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Stitch bonding

Cotton in nonwovens, [1205-02](#)

Stock (pulp)

Control of stock activity on a fourdrinier table, [0410-08](#)

Head of Stock Behind Slice (Head/Jet and Slice Flow Rate Relationships), [0410-05](#)

Stock flow

Control of stock activity on a fourdrinier table, [0410-08](#)

Optimum consistency for pumping pulp, [0410-15](#)

Stock preparation

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Stones

see Pulpstones

Storage

Buying, Storing, and Handling P.V.A. Adhesives Used on Folder Gluers and on Sheet Laminators, [0305-25](#)

Caustic soda (NaOH) safe storage and handling, [0606-27](#)

Chlorine dioxide (ClO₂) safe storage and handling, [0606-30](#)

Hydrogen peroxide (H₂O₂) safe storage and handling, [0606-24](#)

Methanol (CH₃OH) safe storage and handling, [0606-25](#)

Bulk Oxygen (O₂) Safe Storage and Handling, [0606-29](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with

compressed air, [0420-16](#)

Strapping

Critical properties to consider when unitizing, [0304-72](#)

Material handling considerations for flexo folder gluers, [0305-54](#)

Stress

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Stress assisted corrosion

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Stress corrosion

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Strippers

Stripping of kraft pulping process condensates: regulations, design and operation, [0416-10](#)

Stripping

Troubleshooting the Die Cutting Section, [0305-39](#)

Stuff boxes

Headbox approach piping guidelines, [0404-54](#)

Suction

see Vacuum

Suction press rolls

see Press rolls, Vacuum rolls

Suction presses

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Suction rolls

see Vacuum rolls

Guidelines for nondestructive examination of suction roll shells, [0402-19](#)

Sulfite liquors

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Sulfur burner gas strength volume, [0607-01](#)

Viscosities of various spent sulfite liquors at 26.7°C and other temperatures, [0607-22](#)

Horizontal end suction centrifugal stock pumps, [0420-10](#)

Sulfite pulping

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Density of aqueous sodium sulfite solution, [0607-18](#)

Density of milk of lime solution, [0607-05](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium

bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Sulfite waste liquor

see Spent sulfite liquors

Sulfur burners

Sulfur burner gas strength volume, [0607-01](#)

Sulfur dioxide

Boiling point rise of spent sulfite liquors, [0607-21](#)

Definitions of terms in the sulfite pulping process, [0607-25](#)

Physical and chemical properties of magnesia-base pulping solutions, [0607-04](#)

Solubility of sulfur dioxide, [0607-06](#)

Solubility of sulfur dioxide, Ca(HSO₃)₂ solutions, [0607-07](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Sulfur burner gas strength volume, [0607-01](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosities of various spent sulfite liquors at 26.7°C, [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Sulfuric acid

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Surface properties

Granite roll material and surface requirements, [0404-41](#)

projeYankee Dryer Thermal Spray Coating, [0425-09](#)

Surface softness

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Surface speed

see Retention, Machine speed

Suspended solids

Generalized method for determining the pipe friction loss of lowing pulp suspensions, [0410-14](#)

Systems

Chloride and potassium measurement and control in the pulping and chemical recovery cycle, [0416-15](#)

T

Tare weight

Statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Task time

see Time

Technical nomenclature

see Nomenclature

Temperature

Conducting a corrugator temperature audit, [0304-65](#)

Density of aqueous sodium bicarbonate solution, [0607-13](#)

Density of aqueous sodium carbonate solution, [0607-14](#)

Dryer section performance monitoring, [0404-33](#)

Dryer surface temperature measurement, [0404-39](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Solubility of sulfur dioxide in magnesium bisulfite solution, [0607-09](#)

Solubility of sulfur dioxide in saturated magnesium bisulfite solution, [0607-10](#)

Some questions and answers on gel temperatures and on the gel temperature test for corrugating adhesives, [0304-08](#)

Specific heat of sodium carbonate solution, [0607-15](#)

Statistical process control of starch gelatinization temperature, [0304-14](#)

Statistical process control of starch viscosity, [0304-15](#)

Testing atmospheres simulating end use conditions, [0808-05](#)

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Viscosity of a neutral sulfite spent liquor (Ostwald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Tension

Recommended tensions in dryer fabrics, [0404-04](#)

Terminology

see Nomenclature

Test conditions

Testing atmospheres simulating end use conditions, [0808-05](#)

Test equipment

Paper test rooms: design considerations, [0808-04](#)

Test facilities

Paper test rooms: design considerations, [0808-04](#)

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Test Instruments

Improving safety training – a hands on approach, [1502-01](#)

Test Machines

Improving safety training – a hands on approach, [1502-01](#)

Test methods

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Improving safety training – a hands on approach, [1502-01](#)

Testing

Basic guidelines for image analysis measurements, [0804-09](#)

Catalog of Stock Preparation Pilot Plants, [0502-20](#)

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

Paper test rooms: design considerations, [0808-04](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Water removal by wet presses, [0404-01](#)

Thermal measurement

Recovery boiler performance calculation – short form, [0416-01](#)

Thermal spray

Guidelines for thermal spray coatings installed to prevent corrosion in pulp mill process equipment, [0402-32](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Thermobonding

Cotton in nonwovens, [1205-02](#)

Thermocompressors

Thermocompressor Applications for Paper Drying, [0404-66](#)

Thermography

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Thermoplastics

Fluoropolymer properties and applications in pulp and paper mills, [0402-37](#)

Thick stock

see High consistency

Thick stock

Flow determination by chemical method, [0410-09](#)

Thickness

Corrugated caliper: why is it so important?, [0304-04](#)

Guidelines for Rotary Lime Kiln Refractory, [0416-27](#)

Method for evaluating thickness of wet press fabrics, [0404-28](#)

Obtaining combined board caliper off the corrugator for use in statistical process control procedures, [0304-12](#)

Statistical process control techniques to assist in meeting specification at finishing crush process control points to the paper and paperboard industries, [0304-11](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Through drying

Paper machine performance guidelines, [0404-47](#)

Through drying, [0404-25](#)

Tissue

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Paper machine performance guidelines, [0404-47](#)

Pilot paper and wet laid nonwoven machines, [0502-16](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Tissue Paper Machine

see Paper Machine

Tolerance

Corrugator bearing clearance checks and their impact, [0304-47](#)

Total indicated runout

see also Combined boards

Total indicated runout and its impact on combined board

quality, [0304-56](#)

Total reduced sulfur

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Touch

Objective Determination of the Haptic Properties of Tissue Products, [0808-07](#)

Tactile Evaluation of Softness of Tissue - Panel Methods, [0808-08](#)

Training

Improving safety training – a hands on approach, [1502-01](#)

Training Devices

Improving safety training – a hands on approach, [1502-01](#)

Training Equipment

Improving safety training – a hands on approach, [1502-01](#)

Training Manuals

Improving safety training – a hands on approach, [1502-01](#)

Transmission

Dirt Quantification For Bleached Kraft Pulp With a Web Inspection System Using Transmitted Light, [1101-09](#)

Transport

Checklist: preparing die cuts for shipment, [0305-49](#)

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Trim

Broke loss calculations, [0502-10](#)

Paper machine room ventilation guidelines, [0404-50](#)

Trimming

Forming section monitoring, [0502-14](#)

Glue lap problem, [0304-10](#)

Recommended test procedure for black liquor evaporators, [0416-11](#)

Steam shower applications in the forming and press section, [0404-58](#)

Trip

Improving safety training – a hands on approach, [1502-01](#)

Troubleshooting

Press section monitoring, [0404-19](#)

Tubes

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Guidelines for detection, monitoring and prevention of flow accelerated corrosion (FAC) in the pulp and paper mill, [0402-36](#)

Guidelines for operating and maintenance practices impacting an economizer on a recovery boiler, [0416-22](#)

Guidelines for replacement of generating bank tubes with expanded joints in two-drum boilers, [0416-08](#)

Inspection for cracking of composite tubes in black liquor recovery boilers, [0402-30](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Tungsten carbide

Tests for corrugator roll wear, [0304-53](#)

Tuning

see Control

Turbulence

Application of dryer bars, [0404-35](#)

Turpentine

Collection and burning of concentrated noncondensable gases: regulations, design and operation, [0416-09](#)

Twisting

Techniques to minimize twist warp, [0304-50](#)

U

Uhle box

See also Vacuum boxes

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

Ultrafine ground limestone

see Limestone

Ultrasonic

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Ultrasonic tests

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspecting batch digesters, [0402-22](#)

Ultrasonic testing (UT) for tube thickness in black liquor recovery boilers, [0402-18](#)

Uncoated free sheet

Paper machine performance guidelines, [0404-47](#)

Unitized handling

Critical properties to consider when unitizing, [0304-72](#)

Units of measurement

Units of measurement and conversion factors, [0800-01](#)

Unloading

Sodium chlorate (NaClO₃) safe handling and storage, [0606-31](#)

Sulfuric acid (H₂SO₄) safe storage and handling, [0606-26](#)

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

U.P.C.vent

see Product codes

UV

Drying and curing techniques for in-line flexographic printing, [0306-06](#)

V

Vacuum

High vacuum sheet dewatering, [0404-60](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Papermaker's formulas, [0502-17](#)

Steam shower applications in the forming and press section, [0404-58](#)

Vacuum boxes

High vacuum sheet dewatering, [0404-60](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Vacuum equipment

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements [0404-27](#)

Vacuum factors

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Vacuum filters

Bleaching plant washer efficiency guide, [0606-23](#)

Vacuum pumps

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Performance evaluation techniques for paper machine vacuum systems, [0404-55](#)

Press fabric dewatering and conditioning – suction box (Uhle box) design and vacuum requirements. [0404-27](#)

Vacuum rolls

Liquid penetrant testing of new suction roll shells, [0402-11](#)

Paper Machine Vacuum System Selection Factors, [0502-01](#)

Techniques for nip impressions, [0404-46](#)

Weld repairs on new suction roll shells, [0402-17](#)

Vacuum washers

Bleaching plant washer efficiency guide, [0606-23](#)

Valves

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Headbox approach piping guidelines, [0404-54](#)

Vapor pressure

Chlorine gas curve, [0606-02](#)

Vapor pressure of sulfur dioxide solutions, [0607-11](#)

Vapor pressure of sodium carbonate solution, [0607-16](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Variance

Calculation and partitioning of variance using paper machine scanning sensor measurements, [1101-01](#)

Varnish

Reduction or elimination of ink and/or varnish smear when printing and rotary die cutting in one pass, [0305-40](#)

Velocity

see also Machine speed

Pulpstone speed chart, [0605-02](#)

Headbox approach piping guidelines, [0404-54](#)

Vent

Unloading concentrated sulfuric acid (H₂SO₄) with compressed air, [0420-16](#)

Ventilation

Paper machine room ventilation guidelines, [0404-50](#)

Recommended minimum dryer pocket air requirements, [0404-17](#)

Guidelines for the design, operation, performance evaluation, and troubleshooting of a paper machine hood and air systems, [0404-24](#)

Viscosity

Density of aqueous sodium sulfite solution, [0607-18](#)

Liquid chlorine, [0606-05](#)

Quality techniques using existing equipment, [0306-11](#)

Statistical process control of starch viscosity, [0304-15](#)

Viscosities of spent sulfite liquors at 26.7° C (Oswald

capillary viscometer), [0607-22](#)

Viscosity of a neutral sulfite spent liquor (Oswald capillary viscometer), [0607-23](#)

Viscosity of sodium carbonate solution, [0607-17](#)

Viscosity of sodium hydroxide solutions, [0606-11](#)

Viscosity reading procedure for flexographic corrugated inks, [0304-18](#)

Vision

Basic guidelines for image analysis measurements, [0804-09](#)

Volume

Grinder pulpstones – cubical contents, [0605-01](#)

Identifying anilox volume measuring equipment, [0306-15](#)

W

Warning labels

see Hazardous materials

Warpage

Statistical process control -- procedures for charting warp, [0304-13](#)

Techniques to minimize twist warp, [0304-50](#)

Warp in corrugated board, [0304-07](#)

Wash waters

Using washing water as the vehicle in starch based corrugating adhesive, [0304-44](#)

Washers

Bleaching plant washer efficiency guide, [0606-23](#)

Washing

Bleaching plant washer efficiency guide, [0606-23](#)

Recommended pulp bleaching stage designation method, [0606-21](#)

Wastewater treatment equipment

see Effluent treatment

Water

see also Solubility

Guidelines for evaluation of liquid ring vacuum pump performance, [0420-12](#)

Vapor pressure of water and sulfur dioxide above sodium bisulfite solutions (25°C), [0607-12](#)

Paper Machine Water Efficiency, [0502-22](#)

Water content

see Moisture content

Water hardness

Water quality and monitoring requirements for paper mill boilers operating with high purity feedwater, [0416-03](#)

Water permeability

Troubleshooting cross-machine direction moisture profile problems, [0404-57](#)

Water removal

Determination of water removal by wet presses, [0404-01](#)

High vacuum sheet dewatering, [0404-60](#)

Methods to minimize sheet rewet in the press section, [0404-59](#)

Paper machine drying rate, [0404-07](#)

The Impact of Pressing on Web Densification, [0404-68](#)

Water resistance

Techniques for running “WRA” (water resistant starch

adhesive), [0304-46](#)

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Water vapor

Paper machine room ventilation guidelines, [0404-50](#)

Waterside cracking

Best practice guidelines for detecting and mitigating waterside cracking (stress-assisted corrosion) in power and recovery boilers, [0402-38](#)

Wax

Common curtain coating problems: causes, detection, and correction, [0304-26](#)

Wear resistance

see Abrasion resistance

Web breaks

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Web tension

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Webs

see also Paper webs

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Weight

Physical characterization of press fabrics: basis weight, air permeability, void volume under loading and pressure uniformity, [0404-20](#)

Procedure for utilizing statistical control techniques to monitor the tare weight of a run of boxes, [0304-35](#)

Weight of newsprint rolls, [0502-11](#)

Weirs

Weirs and flumes, [0410-10](#)

Welding

Guide to the use of stainless steel pipe specifications, [0402-24](#)

Guidelines for corrosion resistant weld metal overlay of digester vessels in alkaline pulping service, [0402-03](#)

Guidelines for evaluating quality of boiler tube butt welds with ultrasonic testing, [0402-31](#)

Guidelines for inspection of continuous digesters and impregnation vessels, [0402-27](#)

Guidelines for procurement of cast stainless steels for large pumps and valves for the pulp and paper industry, [0402-25](#)

Field welding of pin studs in black liquor recovery boilers, [0402-15](#)

Weld repairs on new suction roll shells, [0402-17](#)

Wet bulb temperature

Relative humidity tables, [0808-06](#)

Wet ends

Drainage evaluation by mass measurement, [0502-12](#)

Forming section monitoring, [0502-14](#)

How to prevent score cracking in a box plant, [0304-37](#)

Selection criteria for wet end ceramics, [0502-15](#)

Headbox approach piping guidelines, [0404-54](#)

Wet felts

see also Felts

Wet presses

Determination of water removal by, [0404-01](#)

Wet pressing

Terminology for high temperature pressing, [0404-48](#)

Wet strength

Understanding wet strength: what are MRA, WRA, and WPA?, [0304-69](#)

Wet-laid nonwovens

Pilot paper and wet laid nonwoven machines, [0502-16](#)

White liquors

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

White liquor mud

Recausticizing material balance equations relating to digester requirements, [0418-02](#)

White water

Drainage evaluation by mass measurement, [0502-12](#)

Guidelines for Retention Measurements, [0502-13](#)

Flow determination by chemical method, [0410-09](#)

Weirs and flumes, [0410-10](#)

Width

Weight of newsprint rolls, [0502-11](#)

Winding

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Wire

Use of ceramics on the forming section: diagnosing and preventing forming fabric wear, [0502-19](#)

Wire Pits

Headbox approach piping guidelines, [0404-54](#)

Williams freeness

Interconversion of freeness, [0809-01](#)

Winders

Determination of winder sets per reel, [0502-02](#)

Wiper Roll

A guide to proper wiper roll selection for flexographic printing in the corrugated box industry, [0306-20](#)

Ink metering systems for corrugated flexo presses, [0306-09](#)

Wiperroll

see Flexography

Wood chips

see Chips

Wood containing papers

see Mechanical papers

Wood free papers

Paper machine drying rate, [0404-07](#)

Work place

see Human factors

Working conditions

see Environments

Wound rolls

Reel diameter for various reel spool and roll core sizes, [0502-03](#)

TAPPI Roll number for inventory/tracking systems and bar codes, [1004-01](#)

Wrinkles

Guidelines for Tension During Web Conveyance and for Winding, [0200-01](#)

Writing papers

Paper machine drying rate, [0404-07](#)

X-Y-Z

Yankee cylinders

see Yankee dryers

Yankee driers

Design, Operation, Performance Evaluation and Inspection guidelines for Yankee hood systems, [0425-02](#)

Yankee dryers

Design, monitoring and maintenance guidelines for Yankee dryer bearings, [0425-03](#)

Guidelines and Procedures for Inspections and Maintenance of Yankee Dryer Doctor Systems, [0425-06](#)

Guidelines for routine periodic inspection and testing of cast iron Yankee and MG dryers, [0425-01](#)

Guidelines for properly sampling steam & condensate in Yankee dryer steam systems, [0425-04](#)

Guidelines for usage of MAP on raw Yankee surfaces, [0425-05](#)

Safe and Reliable Start-Up and Shut-Down of Yankee Hood Air Systems, [0425-07](#)

Techniques for nip impressions, [0404-46](#)

Yankee dryer steam condensing rates, [0404-49](#)

Guidelines for the In-Service Detection of Acoustic Emission Indications in Yankee Dryers, [0425-08](#)

Yankee Dryer Thermal Spray Coating, [0425-09](#)

Safe Entry into a Yankee Dryer, [0425-10](#)

Yankee Grinding

See Grinding