

Standards Subject Index

NOTE: This list was updated June 10, 2025

A

ABC test

see Sulfide-free reducing compounds, Total reducing compounds

Abrasion

Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)

Abrasion resistance

Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)

Absorbance/absorbency

see Absorptivity

Absorbent papers

see also Absorptivity

Water absorbency of bibulous papers, [T 432](#)

Absorption

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)

Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)

Absorptiveness

see Absorptivity

Absorptivity

Water absorbency of bibulous papers, [T 432](#)

Ink absorbency of blotting paper, [T 431](#)

Castor-oil penetration test for paper, [T 462](#)

Water absorption of corrugating medium: water drop absorption test, [T 835](#)

Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water absorption of corrugating medium: water drop penetration test, [T 831](#),

Water absorption of corrugating medium: float curl method, [T 832](#)

Accelerated aging

see Aging

Accelerated tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Aging of paper and board with moist heat, [T 544](#)

Effect of dry heat on properties of paper and board, [T 453](#)

Acceptability

Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

Acetone

Solvent extractives of wood and pulp, [T 204](#)

Acid groups

Hexeneuronic acid content of chemical pulp, [T 282](#)

Acid insolubles

Ash in wood, pulp, paper, and paperboard, [T 244](#)

Acid-insoluble lignin in wood and pulp, [T 222](#)

Acid number

see Saponification number

Acid solubles

Acid-soluble iron in paper, [T 434](#)

Acidity

see also Saponification number

Analysis of salt cake, [T 619](#)

Analysis of sulfuric acid, [T 602](#)

Hot water extractable acidity or alkalinity of paper, [T 428](#)

Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

Active alkali

Analysis of soda and sulfate black liquor, [T 625](#)

Active chlorine

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Added fluorescence

see Fluorescent dyes

Additives

see also Fillers, Pigments

Adhesion

Envelope seal, seam, and window patch testing, [T 516](#)

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Pin adhesion of corrugated board by selective separation, [T 821](#)

Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)

Water absorption of corrugating medium: float curl method, [T 832](#)

Wet pin adhesion of corrugated board by selective separation, [T 845](#)

Adhesives

see also Adhesion

Adsorption

Surface wettability of sheeted materials using an automated contact angle tester, [T 558](#)

Aging

Effect of dry heat on properties of paper and board, [T 453](#)

Aging of paper and board with moist heat, [T 544](#)

Aging tests

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

Air flow (through paper)

see also Air permeability
Roughness of paper and paperboard (Print-Surf method), [T 555](#)

Air permeability

Air resistance of paper (Gurley method), [T 460](#)
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)

Air permeance

see also Air permeability
Air resistance of paper (Gurley method), [T 460](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)

Air pollution

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Air resistance

see Air permeability
Air resistance of paper (Gurley method), [T 460](#)
Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)

Alcohol-benzene

see Benzene

Alexander's stain

see Fiber analysis, Staining

Alkali

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
Analysis of rosin size, [T 628](#)

Alkali solubles/solubility

see Caustic solubles

Alkaline papers

Alkalinity of paper as calcium carbonate (alkaline reserve of paper), [T 553](#)

Alkaline pulp

see Pulp

Alkaline reserve

see Alkalinity

Alkalinity

Analysis of soda and sulfate white and green liquors, [T 624](#)
Analysis of caustic soda, [T 613](#)
Hot water extractable acidity or alkalinity of paper, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)

Paper as calcium carbonate (alkaline reserve), [T 553](#)

Analysis of sodium silicate, [T 632](#)

Alpha-cellulose

Alpha-cellulose in paper, [T 429](#)
In pulp, [T 203](#)

Alumina

see Aluminum oxide

Alumina hydrate

see Aluminum hydroxide

Aluminum

Analysis of soda and sulfate black liquor, [T 625](#)
Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Aluminum oxide (alumina)
Analysis of limestone, [T 618](#)
Analysis of salt cake, [T 619](#)

Amides

Organic nitrogen in paper and paperboard, [T 418](#)

Amines

Organic nitrogen in paper and paperboard, [T 418](#)

Ammonium hydroxide

Analysis of talc, [T 665](#)

Ammonium thiocyanate

Preparation of indicators and standard solutions, [T 610](#)

Analysis

Determination of equilibrium moisture in pulp, paper, and paperboard for chemical analysis, [T 550](#)
Glue in paper (qualitative and quantitative determination), [T 504](#)
Preparation of wood for chemical analysis, [T 264](#)
Sampling and preparing wood for analysis, [T 257](#)

Anatase titanium dioxide

see Pigments

Angle of contact

see Contact angle

Angle of slide

see Slide angle

Anomalies

Dealing with suspect (outlying) test determinations, [T 1205](#)

Apparent viscosity

see Viscosity

Arabinan

Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Area

see Specific surface

Arsenic

Analysis of sulfuric acid, [T 602](#)

Ash

see Ash content

Ash in wood, pulp, paper, and paperboard, [T 244](#)

Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)

Analysis of rosin, [T 621](#)

Analysis of rosin size, [T 628](#)

Ash content

Acid-insoluble, in wood, pulp, paper and

paperboard, [T 244](#)

Ash in wood, pulp, paper and paperboard:

combustion at 525°C, [T 211](#)

Ash in wood, pulp, paper and paperboard:

combustion at 900°C, [T 413](#)

Atmospheres

Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products

[T 402](#)

Test conditions for fiber glass mat test methods,

[T 1008](#)

Atomic absorption spectroscopy

Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Available chlorine

see Active chlorine

B

Babcock method

see Casein, analysis of

Bacteria

see Bacteriology

Bacteriological examination

see Bacteriology

Bacteriology

Bacteriological examination of paper and paperboard, [T 449](#)

Microbiological enumeration of process water and slush pulp, [T 631](#)

Bag papers

see Shipping sack papers

Bagasse

Species identification of nonwood plant fibers, [T 259](#)

Baled pulp

Sampling and testing wood pulp shipments for moisture, [T 210](#)

Bamboo

Species identification of nonwood plant fibers, [T 259](#)

Barium

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Bark

Analysis of rosin, [T 621](#)

Weight-volume measurement of pulpwood, [T 268](#)

Barley straw

Species identification of nonwood plant fibers, [T 259](#)

Barrier films

see Vapor barriers

Barrier properties

see Absorptivity, Permeability

Basic density

see Density

Basis weight

Cross-machine grammage profile measurement (gravimetric method), [T 545](#)

Determining construction (nominal basis weight) of

corrugated board, [T 844](#)

Grammage of paper and paperboard (weight per unit area), [T 410](#)

Basis weight of fiber glass mats, [T 1011](#)

Machine direction grammage variation measurement (gravimetric method), [T 546](#)

Bauer-McNett classifier

Fiber length of pulp by classification, [T 233](#)

Baumé gravity

see Density

Beaten pulps

see Pulp, Beaters

Beater method

see Beaters

Beater tests

see Beaters

Beaters

Drainage time, [T 221](#)

Laboratory beating of pulp (PFI mill method),

[T 248](#)

Laboratory beating of pulp (Valley beater method),

[T 200](#)

Beating

Laboratory beating of pulp (PFI mill method),

[T 248](#)

Laboratory beating of pulp (Valley beater method),

[T 200](#)

Specific external strength of pulp, [T 226](#)

Beating degree

Laboratory beating of pulp (Valley beater method), [T 200](#)

Beating time

Laboratory beating of pulp (Valley beater method), [T 200](#)

Bekk testers

Smoothness of paper (Bekk Method), [T 479](#)

Bend strength

Bending resistance of paper (Gurley-type tester), [T 543](#)

Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)

Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)

Corrugated board stiffness, four point method, [T 836](#)

Score bend test, [T 577](#)

Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Bending

Bending number of paperboard, [T 495](#)

Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)

Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Corrugated board stiffness, four point method, [T 836](#)

Puncture test of containerboard, [T 803](#)

Bending number
 see Bending

Bending resistance
 see Bend strength
 Bending resistance of paper (Gurley-type tester),
 [T 543](#)

Benzene
 Use of in determining solubles in wood and pulp,
 [T 204](#)
 Use of in preparing wood for chemical analysis,
 [T 264](#)

Beta-cellulose
 In pulp, [T 203](#)

Bibulous papers
 see Absorbent papers

Biochemical oxygen demand
 see BOD

Biological control
 Bacteriological examination of paper and
 paperboard, [T 449](#)
 Microbiological enumeration of process water and
 slush pulp, [T 631](#)

Bisulfite cooking liquor
 see Sulfur dioxide

Black liquor
 Analysis of soda and sulfate black liquor, [T 625](#)
 Gross heating value, [T 684](#)
 Solids content of black liquor, [T 650](#)

Blanks
 Box blank dimensioning, [T 827](#)

Bleach
 Analysis of bleaching powder, calcium hypochlorite
 bleach liquor, and bleach sludge, [T 611](#)

Bleach liquor
 Analysis of bleaching powder, calcium hypochlorite
 bleach liquor, and bleach sludge, [T 611](#)

Bleach sludge
 see Bleach, Sludge

Bleached pulps
 see also Pulps
 Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)
 Carboxyl content of pulp, [T 237](#)
 Copper number of pulp, [T 430](#)

Bleaching agents
 see Bleach

Bleaching powder
 see Calcium hypochlorite

Blister resistance
 see Blistering

Blistering
 Coated paper in heatset printing, [T 526](#)
 Internal bond strength (Scott type), [T 569](#)

Blotting papers
 see also Absorptivity
 Ink absorbency of blotting paper, [T 431](#)
 Forming handsheets for physical tests of pulp,
 [T 205](#)
 Water absorbency of bibulous papers, [T 432](#)
 Water absorptiveness of sized (non-bibulous) paper,
 paperboard, and corrugated fiberboard (Cobb test),
 [T 441](#)

Board
 see Corrugated board, Fiberboard, Containers,
 Insulating board, Linerboard, Paperboard

Boat method
 see Corrugating medium

BOD
 Measuring, sampling, and analyzing white waters,
 [T 656](#)

Bond strength
 see also Adhesion
 Internal bond strength of paperboard (z-direction
 tensile), [T 541](#)
 Pin adhesion of corrugated board by selective
 separation, [T 821](#)

Bonding strength
 Abrasion loss of paper and paperboard (Taber-type
 method), [T 476](#)
 Internal bond strength (Scott type), [T 569](#)
 Ply separation of solid and corrugated fiberboard
 (wet), [T 812](#)
 Wet pin adhesion of corrugated board by selective
 separation, [T 845](#)

Bone glue
 see Glue

Book bulk
 see Bulk number

Book paper
 see Bulk number

Books
 Book bulk and bulking number of paper, [T 500](#)

Boring method
 see Baled pulp

Boxboard
 see Linerboard

Boxes
 see also Containers
 Box blank dimensioning, [T 827](#)
 Bursting strength of corrugated and solid
 fiberboard, [T 810](#)
 Drop test for fiberboard shipping containers, [T 802](#)

Breaking length
 see Tensile strength

Breaking strength
 see Tensile strength

Brightness
 see also Reflectance
 Brightness of clay and other mineral pigments
 (45/0), [T 646](#)
 Brightness of clay and other mineral pigments (d/0
 diffuse), [T 534](#)
 CIE whiteness and tint of paper and paperboard
 (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 CIE whiteness and tint of paper and paperboard (d/0
 geometry, C/2 illuminant/observer), [T 560](#)
 Diffuse brightness of paper, paperboard and pulp
 (d/0) (ultraviolet level D65), [T 579](#)
 Diffuse brightness of paper, paperboard and pulp
 (d/0) – Ultraviolet Level C, [T 525](#)
 Equivalent Black Area (EBA) and count of visible
 dirt in pulp, paper and paperboard by image
 analysis, [T 563](#)

Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
 Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
 Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
 Pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
 Bromophenol blue
 see Indicators, preparation of
 Bulk
 Book bulk and bulking number of paper, [T 500](#)
 Bulk density
 Basic density and moisture content of pulp wood, [T 258](#)
 Bulk number
 Book bulk and bulking number of paper, [T 500](#)
 Burst factor
 see Burst strength
 Burst index
 see Burst strength
 Burst ratio
 see Burst strength
 Burst strength
 Bursting strength of corrugated and solid fiberboard, [T 810](#)
 Linerboard, [T 807](#)
 Bursting strength of paper, [T 403](#)

C

Calcium
 Analysis of soda and sulfate black liquor, [T 625](#)
 Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 Calcium carbonate
 Alkalinity of paper as (alkaline reserve), [T 553](#)
 Calcium hypochlorite
 Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
 Calcium oxide
 Analysis of lime, [T 617](#)
 Analysis of limestone, [T 618](#)
 Analysis of talc, [T 665](#)
 Calibration
 Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
 Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
 Caliper
 see Thickness
 Calorimetry
 Gross heating value of black liquor, [T 684](#)

Canadian Standard Method
 Freeness of pulp (Canadian standard method), [T 227](#)
 Capillarity
 High Shear Capillary Viscosity of Coating Color on Paper and Paperboard, [T 582](#)
 Viscosity of pulp (capillary viscometer method), [T 230](#)
 Capillary viscometer
 see Capillarity
 Carbohydrates
 Alkali solubility of pulp at 25°C, [T 235](#)
 Composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
 One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 Carbonates
 Analysis of caustic soda, [T 613](#)
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 Carboxyl content
 see Carboxyl groups
 Carboxyl groups
 Carboxyl content of pulp, [T 237](#)
 Carton adhesive
 see Adhesion, Bond strength
 Casein
 Organic nitrogen in paper and paperboard, [T 418](#)
 Castor oil
 Penetration test for paper, [T 462](#)
 Caustic soda
 see Sodium hydroxide
 Caustic solubles
 Alkali solubility of pulp at 25°C, [T 235](#)
 One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 Cellulose
 Alkali solubility of pulp at 25°C, [T 235](#)
 Alpha-, beta-, gamma-cellulose in pulp, [T 203](#)
 Alpha-cellulose in paper, [T 429](#)
 Carboxyl content, [T 237](#)
 Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
 One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 Viscosity of pulp (capillary viscometer method), [T 230](#)
 Centrifugal pump
 see Sample preparation
 Chemical analysis
 Determination of equilibrium moisture in pulp, paper and paperboard analysis, [T 550](#)
 Preparation of wood for, [T 264](#)
 Chemical properties
 See also specific properties, e.g., pH
 Chemical pulps
 See also Pulp
 Hexeneuronic acid content of chemical pulp, [T 282](#)
 Pulp screening (Valley-type screening device), [T 278](#)

Chemical reactions

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Chips

see also Wood

Analysis of rosin, [T 621](#)

Basic density and moisture content of pulp wood, [T 258](#)

Natural dirt in wood chips, [T 265](#)

Sampling and preparing wood for analysis, [T 257](#)

Chlorides

Analysis of caustic soda, [T 613](#)

Analysis of salt cake, [T 619](#)

Water-soluble chlorides in pulp and paper, [T 256](#)

Chlorine

Analysis of salt cake, [T 619](#)

Chlorine sludge

Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)

Chromaticity coordinates

Color of paper and paperboard (d/0, C/2), [T 527](#)

Chromium oxide

Analysis of salt cake, [T 619](#)

Chromium trioxide

Analysis of salt cake, [T 619](#)

C.I.V. test

see Viscosity

Clark classifier

Fiber length of pulp, [T 233](#)

Clark stiffness

see Stiffness

Classification

Fiber length of pulp, [T 233](#)

Classifiers

Fiber length of pulp, [T 233](#)

Clay

Accelerated test for viscosity stability of clay slurries, [T 697](#)

Brightness of clay and other mineral pigments (45/0), [T 646](#)

Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Viscosity of coating clay slurry, [T 648](#)

CMT test

see Corrugating medium

Coarseness

see Fineness

Coated board

Blister resistance in heat set printing, [T 526](#)

Surface strength of paper (wax pick test), [T 459](#)

Coated paper

Blister resistance of in heatset printing, [T 526](#)

Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Coating clay

see Clay

Coating clay slurry

see Clay, Slurry

Coating color

High Shear Capillary Viscosity of Coating Color on Paper and Paperboard, [T 582](#)

Titanium dioxide content in, [T 627](#)

Coating fillers

see Fillers

Coating pigments

see Pigments

Coatings

see also Fillers, Pigments

Abrasion loss of paper and paperboard (Taber-type method), [T 476](#)

Ash in wood, pulp, paper and paperboard:

combustion at 900°C, [T 413](#)

High Shear Capillary Viscosity of Coating Color on Paper and Paperboard, [T 582](#)

Viscosity of coating clay slurry, [T 648](#)

Cobb tests

Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)

COD

Open drum washer mat sampling technique, [T 281](#)

Coefficient of friction

see Friction

Coefficient of kinetic friction

see Friction

Coefficient of static friction

see Friction

Cohesion

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Cohesiveness of fibers

see Tensile strength

Cold extraction method

see Extraction

Cold storage

Storage of paper samples for optical measurements and color matching, [T 1219](#)

Cold water solubles

see Water solubles

Color

Analysis of rosin, [T 621](#)

CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)

CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

Color of paper and paperboard (d/0, C/2), [T 527](#)

Storage of paper samples for optical measurements and color matching, [T 1219](#)

The determination of instrumental color differences, [T 1215](#)

Visual grading and color matching of paper, [T 515](#)

Color grade

see Color

Color matching

Storage of paper samples for optical measurements and color matching, [T 1219](#)

Visual grading and color matching of paper, [T 515](#)

Colorimetric determination

- see* Color, Colorimetry
- Colorimetry
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
 - Visual grading and color matching of paper, [T 515](#)
- Combined board
 - see also* Corrugated board
 - Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
- Combustion
 - Ash in wood, pulp, paper and paperboard: combustion at 525°C, [T 211](#)
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C [T 413](#)
 - Gross heating value of black liquor, [T 684](#)
- Combustion products
 - Ash in wood, pulp, paper and paperboard, [T 211](#)
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
- Composition
 - see* Fiber analysis
- Compressibility
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Edge crush test using neckdown, [T 838](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test of corrugated board (flexible beam method), [T 808](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
- Compression resistance
 - see* Compressibility, Compression strength
- Compression strength
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test of corrugated board (flexible beam method), [T 808](#)
 - Short span compressive strength of containerboard, [T 826](#)
- Compression tests
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Edge crush test using neckdown, [T 838](#)
 - Flat crush test of corrugated board (rigid support method), [T 825](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
- Compression wood
 - Identification of in pulpwood, [T 267](#)
- Compressive strength
 - see* Compression tests
- Concentration (pulp)
 - Consistency (concentration) of pulp suspensions, [T 240](#)
- Conditioning
 - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products [T 402](#)
- Conifers
 - see* Softwoods
- Consistency
 - see also* Viscosity
 - Open drum washer mat sampling technique, [T 281](#)
 - Consistency (concentration) of pulp suspensions, [T 240](#)
- Constant rate of elongation
 - see* Elongation
- Construction
 - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
- Contact angle
 - Surface wettability of paper (angle of contact method), [T 458](#)
- Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Container boards
 - see also* Corrugated boards, Fiberboard
 - Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 - Determination of containerboard roll hardness, [T 834](#)
 - Drum test for fiberboard shipping containers, [T 800](#)
 - Ink Rub Test of Containerboard and Corrugated Board, [T 830](#)
 - Puncture test of containerboard, [T 803](#)
 - Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)
 - Score quality test, [T 829](#)
 - Short span compressive strength of containerboard, [T 826](#)
 - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
- Container testing
 - see* Containers, Container board
- Containers
 - Box blank dimensioning, [T 827](#)
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Drum test for fiberboard shipping containers, [T 800](#)
 - Macro stickies content in pulp: the “pick-up” method, [T 277](#)
- Contaminants
 - see* Impurities
- Contraries
 - Dirt in paper and paperboard, [T 437](#)

- Contrast ratio
 - Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
- Controlled atmospheres
 - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
 - Test conditions for fiber glass mat test methods, [T 1008](#)
- Conversion
 - Bending number of paperboard, [T 495](#)
- Conversion factors
 - Units of measurement and conversion factors, [T 1210](#)
- Cooking liquor
 - See also* Liquors, Kraft liquor, Soda liquors, Sulfite liquor, Bleach liquor, Green liquors, White liquors
 - Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Copper
 - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
- Copper number
 - Pulp, paper, and paperboard, [T 430](#)
- Cord weight
 - see* Weight
- Corn
 - Species identification of nonwood plant fibers, [T 259](#)
- Corrugated boards
 - see also* Containers, Corrugating medium, Fiberboard, Linerboard
 - Box blank dimensioning, [T 827](#)
 - Flat crush test of corrugated board (rigid support method), [T 825](#)
 - Bursting strength of corrugated and solid fiberboard, [T 810](#)
 - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
 - Edge crush test using neckdown, [T 838](#)
 - Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
 - Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test (flexible beam method), [T 808](#)
 - Ink Rub Test of Containerboard and Corrugated Board, [T 830](#)
 - Pin adhesion of corrugated board by selective separation, [T 821](#)
 - Puncture resistance of, [T 803](#)
 - Ply separation of, [T 812](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
 - Score quality test, [T 829](#)
 - Stiffness, four point method, [T 836](#)
 - Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Corrugated boxes
 - see also* Boxes, Corrugated board, Containers
 - Drop test for fiberboard shipping containers, [T 802](#)
 - Score quality test, [T 829](#)
 - Short span compressive strength of containerboard, [T 826](#)
- Corrugated containers
 - see* Containers
- Corrugated fiberboard
 - see* Fiberboard, Corrugated board
- Corrugated fluted crush test
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
- Corrugating adhesives
 - see* Adhesion
- Corrugating medium
 - see also* Corrugated boards, Fiberboard
 - Determining construction (nominal basis weight) of corrugated board, [T 844](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
 - Pin adhesion of corrugated board by selective separation, [T 821](#)
 - Water absorption of corrugating medium: water drop penetration test, [T 831](#)
 - Water absorption of corrugating medium: float curl method, [T 832](#)
 - Water absorption of corrugating medium: water drop absorption test, [T 835](#)
 - Wet pin adhesion of corrugated board by selective separation, [T 845](#)
- Cotton
 - Species identification of nonwood plant fibers, [T 259](#)
- Cracking
 - see* Fracture
- Creasing
 - see also* Folding endurance
 - Creasing of flexible packaging material paper specimens for testing, [T 512](#)
 - Static creasing of paper for water vapor transmission tests, [T 465](#)
- Critical wax strength number (CWSN)
 - see* Wax pick tests
- Cross direction
 - Cross-machine grammage profile measurement (gravimetric method), [T 545](#)

Cross direction tear
 Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

Crude tall oil
see Tall oil

Crush resistance
see Edge crush resistance, Ring crush tests, Flat crush tests

Cuene
 Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
 Viscosity of pulp (capillary viscometer method), [T 230](#)

Cupriethylenediamine
see Cuene

Curl
 Gummed flat papers, [T 520](#)
 Preparation of mechanical pulps for testing, [T 262](#)

D

Dairyman's standard
 Bacteriological examination of paper and paperboard, [T 449](#)

Debris
 Pulp screening (Valley-type screening device), [T 278](#)

Defect area
 Transparent chart for the estimation of defect size, [T 564](#)

Defect size
 Transparent chart for the estimation of defect size, [T 564](#)

Defects
 Fiber glass mat uniformity (visual defects), [T 1015](#)
 Transparent chart for the estimation of defect size, [T 564](#)

Defibering
 Pulp screening (Valley-type screening device), [T 278](#)

Defibrator
see Disintegrators

Degradation/Degraded cellulose
see Cellulose

Degree of adhesion
see Adhesion

Degree of curl
see Curl

Degree of defibering
see Disintegrators

Degree of delignification
see Delignification

Degree of sizing
see Sizing

Delamination
 Internal bond strength (Scott type), [T 569](#)

Delignified pulps
see Pulps

Densitometer

Air resistance of paper (Gurley method), [T 460](#)
 Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)

Density
 Air resistance of paper (Gurley method), [T 460](#)
 Analysis of rosin size, [T 628](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
 Analysis of sulfuric acid, [T 602](#)
 Basic density and moisture content of pulp wood, [T 258](#)
 Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
 Analysis of sodium silicate, [T 632](#)
 Weight-volume measurement of pulpwood, [T 268](#)

Diatomaceous earth
see Silica

Dichloromethane
 Solubles in wood and pulp, [T 204](#)

Diffuse blue reflectance
see Diffuse reflection

Diffuse brightness
see Diffuse reflection

Diffuse ISO brightness
see Diffuse reflection

Diffuse luminous reflectance
see Diffuse reflection

Diffuse opacity
see Diffuse reflection

Diffuse reflectance
 Diffuse brightness of paper, paperboard and pulp ($d/0$) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp ($d/0$) (ultraviolet level D65), [T 579](#)

Diffuse reflection
 Brightness of clay and other mineral pigments ($d/0$ diffuse), [T 534](#)
 Diffuse opacity of paper ($d/0$ paper backing), [T 519](#)
 Opacity of paper ($15/d$ geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)

Diffuse reflection factor
see Diffuse reflection

Dimensional measurement
 Transparent chart for the estimation of defect size, [T 564](#)

Dimensioning
see Boxes

Directional brightness
 Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)

Directional measurement
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Directional reflectance
see Reflectance

Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)

Dirt
see also Defects
 Analysis of rosin, [T 621](#)
 Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image

analysis, [T 563](#)
 Dirt in paper and paperboard, [T 437](#)
 Dirt in pulp, [T 213](#)
 Natural dirt in wood chips, [T 265](#)
 Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
 Dirt count
 see also Dirt
 Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)
 Dirt in paper and paperboard, [T 437](#)
 Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 Natural dirt in wood chips, [T 265](#)
 Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
 Dirt index
 see Dirt
 Discoloration
 Envelope seal, seam, and window patch testing, [T 516](#)
 Disintegration
 Preparation of mechanical pulps for testing, [T 262](#)
 Disintegrators
 Use of in determining drainage time of pulp, [T 221](#)
 Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 Disperse viscosity
 see Viscosity
 Dispersions
 Consistency (concentration) of pulp suspensions, [T 240](#)
 Microbiological enumeration of process water and slush pulp, [T 631](#)
 Dissolved solids
 Measuring, sampling, and analyzing white waters, [T 656](#)
 Open drum washer mat sampling technique, [T 281](#)
 Dominant wavelength
 Color of paper and paperboard ($d/0$, $C/2$), [T 527](#)
 Color of paper and paperboard ($45/0$, $C/2$), [T 524](#)
 Drainage
 Of pulp, [T 221](#)
 Drainage rate
 Freeness of pulp (Canadian Standard method), [T 227](#)
 Drop test
 see Impact tests
 Drum tests
 see Impact tests
 Drums
 Open drum washer mat sampling technique, [T 281](#)
 Dry abrasion test
 see Abrasion
 Dry curl
 see Curl
 Dry heat
 see Heat
 Dry indicator method
 see Water resistance

Dry indicator tests
 Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)
 Dry size
 see Rosin size
 Dryness
 see Moisture content
 Dupont stain
 see Fiber analysis, Staining
 Durability
 see also Permanence
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)

E

ERIC (Effective residual ink concentration)
 see Ink
 Edge crush resistance
 see also Edge crush tests
 Edge crush test using neckdown, [T 838](#)
 Edgewise compressive strength of corrugated fiberboard using the clamp method (short column test), [T 839](#)
 Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 Fluted edge crush of corrugating medium (rigid support method), [T 843](#)
 Ring crush of paperboard (flexible beam method), [T 818](#)
 Ring crush of paperboard (rigid support method), [T 822](#)
 Edge crush tests
 see also Edge crush resistance
 Edgewise compressive strength of corrugated fiberboard (short column test), [T 811](#)
 Edgewise compression strength
 see Edge crush resistance
 Education
 Training standard for paper machine tender, [T 1501](#)
 Electrical conductivity
 see Conductivity
 pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
 Elemental sulfur
 see Sulfur
 Elmendorf-type tests
 see Tear strength
 Elongation
 Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
 Energy absorption
 see Tensile energy absorption
 Envelopes

Envelope seal, seam, and window patch testing, [T 516](#)

Enzymatic/colorimetric method
see Starch

Enzymatic/gravimetric method
see Starch

Equilibrium moisture

Determination of in pulp, paper and paperboard for chemical analysis, [T 550](#)

Equilibrium relative humidity
see Humidity

Equivalent black area (EBA)

Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)

Dirt in pulp, [T 213](#)

Errors

Dealing with suspect (outlying) test determinations, [T 1205](#)

Esparto

Fiber analysis of paper and paperboard, [T 401](#)

Ethanol

Use of in determining solubles in wood and pulp, [T 204](#)

Use of in preparing wood for chemical analysis, [T 264](#)

Excitation purity

see Dominant wavelength

External compressive forces

see Compression tests

External surface

see Specific surface

Extractable material

Water solubility of wood and pulp, [T 207](#)

Extractable resin

see Rosin

Extraction

Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)

Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)

Solvent extractives of wood and pulp, [T 204](#)

Extraction apparatus

see Rosin

Extractive-free wood

see Wood

Extractives

Hot water extractable acidity or alkalinity of paper, [T 428](#)

Solvent extractives of wood and pulp, [T 204](#)

Extracts

see Extractives

Extrusion coating

Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

facial products, [T 580](#)

Dry tensile properties of paper towel and tissue products (using constant rate of elongation apparatus) [T 581](#)

Falling ball method

see Viscosity

Fats

Determination of in wood and pulp, [T 204](#)

Feathering

Surface wettability of paper (angle of contact method), [T 458](#)

Felt side

Identification of wire side in paper, [T 455](#)

Ferric iron

see Iron

Ferroin

see Indicators, preparation of

Ferrous ammonium sulfate

Preparation of indicators and standard solutions, [T 610](#)

Ferrous iron

see Iron

Fiber

Analysis of paper and paperboard, [T 401](#)

Coarseness of pulp fibers, [T 234](#)

Consistency (concentration) of pulp suspensions, [T 240](#)

Identification of wood and fibers from conifers, [T 263](#)

Species identification of nonwood plant fibers, [T 259](#)

Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Fiber analysis

Of paper and paperboard, [T 401](#)

Fiber bonding

Internal bond strength of paperboard (z-direction tensile), [T 541](#)

Internal bond strength (Scott type), [T 569](#)

Fiber clarifier

see Fiber classification

Fiber classification

Fiber length of pulp, [T 233](#)

Fiber debris

Screening of pulp (Somerville-type equipment), [T 275](#)

Fiber diameter

Average fiber diameter of fiber glass mats, [T 1016](#)

Fiber glass mats

Average fiber diameter, [T 1016](#)

Basis weight of fiber glass mats, [T 1011](#)

Loss on ignition of fiber glass mats, [T 1013](#)

Moisture content of fiber glass mats, [T 1012](#)

Moisture sensitivity of fiber glass mats, [T 1014](#)

Uniformity (visual defects), [T 1015](#)

Fiber identification

see Identification

Fiber length

By classification, [T 233](#)

Fiber length of pulp and paper by automated optical

F

Facial tissues

Thickness (caliper) of towel, tissue, napkin and

- analyzer using polarized light, [T 271](#)
- Fiber length of pulp by projection, [T 232](#)
- Fiber length distribution
 - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
- Fiber mats
 - Sample location for fiber glass mat sheets, [T 1007](#)
 - Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
 - Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
 - Test conditions for fiber glass mat test methods, [T 1008](#)
- Fiber suspensions
 - see* Dispersions
- Fiberboard containers
 - see* Containers, Fiberboard
- Fiberboard shipping containers
 - see* Containers, Fiber boards
- Fiberboards
 - see also* Corrugated boards
 - Box blank dimensioning, [T 827](#)
 - Compression test of fiberboard shipping containers, [T 804](#)
 - Drop test for fiberboard shipping containers, [T 802](#)
 - Drum test for fiberboard shipping containers, [T 800](#)
 - Edge crush test using neckdown, [T 838](#)
 - Ink Rub Test of Containerboard and Corrugated Board, [T 830](#)
 - Ply separation of solid and corrugated fiberboard (wet), [T 812](#)
 - Ring crush of paperboard (flexible beam method), [T 818](#)
 - Ring crush of paperboard (rigid support method), [T 822](#)
 - Sampling and accepting a single lot of, [T 400](#)
 - Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
 - Stiffness, four point method, [T 836](#)
- Fiber boards
 - Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Fillers
 - see also* Pigments
 - Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
 - Determination of titanium dioxide, [T 627](#)
 - Sampling of fillers and pigments, [T 657](#)
- Films
 - Envelope seal, seam, and window patch testing, [T 516](#)
- Fineness
 - Coarseness of pulp fibers, [T 234](#)
 - Specific external surface of pulp, [T 226](#)
- Fire resistance
 - see* Flameproof papers
- Fireproof papers
 - see* Flameproof papers
- Fixed suspended solids
 - see* Suspended solids
- Flakes
 - Pulp screening (Valley-type screening device), [T 278](#)
- Flame resistance
 - see* Flameproof papers
- Flameproof papers
 - Treated paper and paperboard, [T 461](#)
- Flat crush tests
 - Corrugated board, [T 808](#)
 - Flat crush of corrugating medium (CMT test), [T 809](#)
 - Flat crush test of corrugated board (rigid support method), [T 825](#)
- Flax
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Species identification of nonwood plant fibers, [T 259](#)
- Flexible packaging
 - see also* Packaging materials
 - Grease resistance of flexible packaging materials, [T 507](#)
 - Creasing of flexible packaging material paper specimens for testing, [T 512](#)
- Flexural properties
 - see* Bend strength
- Flexural resistance/stiffness
 - see* Stiffness
- Float curl method
 - Water absorption of corrugating medium: float curl method, [T 832](#)
- Flow measurement
 - Measuring, sampling, and analyzing white waters, [T 656](#)
- Fluorescence
 - Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)
- Fluorescent dyes
 - Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
 - Visual grading and color matching of paper, [T 515](#)
- Fluorescent whitening agents
 - see* Fluorescent dyes
- Fluorine compounds
 - Grease resistance for paper and paperboard, [T 559](#)
- Flute rigidity
 - see* Flutes, Compressibility
- Flute-tip adhesion
 - see* Pin adhesion tests
- Fluted edge crush
 - see* Edge crush resistance
- Flutes
 - Flat crush test of corrugated board (flexible beam method), [T 808](#)
 - Fluted edge crush of corrugating medium (flexible beam method), [T 824](#)
 - Fluted edge crush of corrugating medium (rigid support method), [T 843](#)

Fold
Folding endurance of paper (Schopper type tester), [T 423](#)

Folding
Bending number of paperboard, [T 495](#)

Folding endurance
see also Bending, Stiffness
Folding endurance of paper (Schopper type tester), [T 423](#)
Paper, [T 511](#)

Folding number
Folding endurance of paper (Schopper type tester), [T 423](#)

Folding resistance
see Folding endurance

Food boards
Odor of packaging materials, [T 483](#)

Food packaging
see Food boards, Food wrap papers

Food wrap papers
Odor of packaging materials, [T 483](#)

Foreign particles
see Impurities

Formaldehyde
Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)

Formation
Fiber glass mat uniformity (visual defects), [T 1015](#)
Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)

Four point method
see Stiffness

Free fall drops
see Impact test

Free mineral acids
see Inorganic acids

Free moisture
see Moisture content

Freeness
see also Drainage
Drainage time of pulp, [T 221](#)
Freeness of pulp (Canadian standard method), [T 227](#)

Friction
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Friction factor
see also Friction
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Fungi
Microbiological enumeration of process water and slush pulp, [T 631](#)

Fungus resistance
see Fungi

Furnish
Drainage time of pulp, [T 221](#)

G

Galactan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Gamma cellulose
In pulp, [T 203](#)

Gas chromatography
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Gas-liquid chromatography
see Gas chromatography

Gelatin
Glue in paper (qualitative and quantitative determination) [T 504](#)

Geometry
Calibration of reflectance standards for hemispherical geometry, [T 1218](#)

Glass fibers
see also Fiber glass mats
Sample location for fiber glass mat sheets, [T 1007](#)
Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
Test conditions for fiber glass mat test methods, [T 1008](#)

Glassine papers
Grease resistance of flexible packaging materials, [T 507](#)
Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Gloss
Specular gloss of paper and paperboard at 20 degrees, [T 653](#)
Specular gloss of paper and paperboard at 75°, [T 480](#)

Glucan
Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Glue
see also Adhesion
Glue in paper (qualitative and quantitative determination), [T 504](#)
Organic nitrogen in paper and paperboard, [T 418](#)

Glued lap joints
see Joints

Graff C stain
see Fiber analysis, Staining

Grammage
see Basis weight

Grasses
 Species identification of nonwood plant fibers, [T 259](#)

Gravimetry
 Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
 Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)

Grease resistance
 Flexible packaging materials, [T 507](#)
 Grease resistance for paper and paperboard, [T 559](#)
 Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Greaseproof papers
 Grease resistance of flexible packaging materials, [T 507](#)
 Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Green density
see Density

Green liquor
 Analysis of soda and sulfate white and green liquors, [T 624](#)
 Determination of suspended solids in kraft green and white liquors [T 692](#)

Green volume
see Volume

Green weight
see Weight

Green-Yorston stain
see Fiber analysis, Staining

Gross heating value
see Heating value

Gross sample
see Sample

Groundwood
 Drainage time, [T 221](#)
 Specific external surface of pulp, [T 226](#)

Gum rosin
see Rosin

Gummed papers
 Curl of, [T 520](#)

Gums
 Water solubility of wood and pulp, [T 207](#)

Gurley testers
 Bending resistance of paper (Gurley-type tester), [T 543](#)

H

Halpin-Hicks test
see Rosin

Hammers
 Determination of containerboard roll hardness, [T 834](#)

Handling stiffness
see Stiffness

Handsheet formers

Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)

Handsheets
 Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
 Diffuse brightness of paper, paperboard and pulp (*d/0*) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp (*d/0*) (ultraviolet level D65), [T 579](#)
 Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
 Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 Forming handsheets for physical tests of pulp, [T 205](#)
 Physical testing of pulp handsheets, [T 220](#)
 Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Hardness
 Determination of containerboard roll hardness, [T 834](#)

Hardness (of pulp)
see Cooking degree

Hardwoods
 Fiber analysis of paper and paperboard, [T 401](#)

Heat
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)

Heat conductivity
see Thermal conductivity

Heat set ink
 Blister resistance of coated paper in heatset printing, [T 526](#)

Heat setting
 Blister resistance of coated paper in heatset printing, [T 526](#)

Heat treatment
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)

Heating value
 Black liquor, [T 684](#)

Hemicelluloses
 Alkali solubility of pulp at 25°C, [T 235](#)
 One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 Pentosans in wood and pulp, [T 223](#)

Hemp
 Species identification of nonwood plant fibers, [T 259](#)

Hexeneuronic acid
 Hexeneuronic acid content of chemical pulp, [T 282](#)

Hercules test
see Sized papers

Herzberg stain
see Fiber analysis, Staining

High heating value

see Gloss

High-molecular-weight cellulose
see Cellulose

High Shear Viscosity
See Viscosity

High temperature
Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)

Horizontal plane method
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Horizontal planes
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)

Hot extraction
see Extractives

Hot melt
Macro stickies content in pulp: the “pick-up” method, [T 277](#)

Hot water extractable alkalinity
see Extractives

Hot water extracts
See also Extractives
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)

Hot water solubles
see Water solubles

Humidity
Envelope, seal, seam, and window patch testing, [T 516](#)
Equilibrium relative humidity of paper and paperboard, [T 502](#)

Humidity control
Test conditions for fiber glass mat test methods, [T 1008](#)

Humidity rooms
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Hydrocarbons
Determination of non-volatile hydrocarbons in wood and pulp, [T 204](#)

Hydrochloric acid
Preparation of indicators and standard solutions, [T 610](#)

Hydrogen ion concentration
see pH

Hydrolysis
Hexeneuronic acid content of chemical pulp, [T 282](#)

Hydroxyproline
Glue in paper (qualitative and quantitative determination), [T 504](#)

Identification
Compression wood, [T 267](#)
Species identification of nonwood plant fibers, [T 259](#)

Identification of wire side in paper, [T 455](#)
Identification of wood and fibers from conifers, [T 263](#)

Illumination
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Visual grading and color matching of paper, [T 515](#)

Image analysis
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)

Immersion
see Submersion

Impact
Internal bond strength (Scott type), [T 569](#)

Impact tests
Drop test for fiberboard shipping containers, [T 802](#)
Drum test for fiberboard shipping containers, [T 800](#)

Impurities
Acid-insoluble ash in wood, pulp, paper, and paperboard, [T 244](#)
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Pulp screening (Valley-type screening device), [T 278](#)
Silicates and silica in pulp (wet ash method), [T 245](#)

Inclined planes
Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Indicators
Preparation of, [T 610](#)

Industrial process water
see Process water

Ink
Ink absorbency of blotting paper, [T 431](#)
Castor-oil penetration test for paper, [T 462](#)
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
Titanium dioxide content in, [T 627](#)

Ink absorption
Ink absorbency of blotting paper, [T 431](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Ink absorptivity
see Absorptivity

Ink resistance
see Printability

Ink rub resistance
Ink Rub Test of Containerboard and Corrugated Board, [T 830](#)

Inorganic color pigments
 see Pigments
Insoluble matter
 see Solubility
Instrument characteristics
Self-certification practice for organizations providing
reference materials for TAPPI Standards, [T 1211](#)
Interfiber bonding
 see Fiber bonding
Interlaboratory evaluation
 Interlaboratory evaluation of test methods to
 determine TAPPI repeatability and reproducibility,
 [T 1200](#)
Internal bond
 see also Bond strength
 Internal bond strength (Scott type), [T 569](#)
Internal fiber bond strength
 see Bond strength
Internal tear
 see Tear strength
Iodine
 Preparation of indicators and standard solutions,
 [T 610](#)
Ion exchange
 Carboxyl content of pulp, [T 237](#)
Iron
 Acid-soluble iron in paper, [T 434](#)
 Analysis of caustic soda, [T 613](#)
 Analysis of limestone, [T 618](#)
 Analysis of salt cake, [T 619](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
 Analysis of sulfuric acid, [T 602](#)
 Determination of sodium, calcium, copper, iron and
 manganese in pulp and paper by atomic absorption
 spectroscopy, [T 266](#)
 Qualitative (including optical microscopic) analysis
of mineral filler and mineral coating of paper, [T 421](#)
Iron oxide
 Analysis of limestone, [T 618](#)
ISO
 see Units of measurement
ISO brightness
 see Diffuse reflection

J

K

Kantrowitz-Simmons stain
 see Fiber analysis, Staining
Kaolin
 Accelerated test for viscosity stability of clay
 slurries, [T 697](#)
Kaolin clay dispersion
 see Clay
Kappa number
 Kappa number of pulp, [T 236](#)
Kenaf
 Species identification of nonwood plant fibers,
 [T 259](#)

Kinetic friction
 Coefficients of static and kinetic friction of
 uncoated writing and printing paper by use of the
 horizontal plane method, [T 549](#)
Kjeldahl procedure
 see Nitrogen
Klemm method
 see Blotting papers
Kraft liquor
 Determination of suspended solids in kraft green
 and white liquors [T 692](#)
Kraft pulping
 Analysis of soda and sulfate black liquor, [T 625](#)
Kraft pulps
 see Pulp
Kubelka-Munk equation
 Accelerated light aging of printing and writing
 paper by xenon-arc exposure apparatus, [T 578](#)
 Determination of effective residual ink
 concentration (ERIC) by infrared reflectance
 measurement, [T 567](#)

L

L, a, b color values
 see Color
Laboratories
 Self-certification practice for organizations
 providing reference materials for TAPPI Standards,
 [T 1211](#)
Laboratory beating
 Laboratory beating of pulp (PFI mill method),
 [T 248](#)
 Laboratory beating of pulp (Valley beater method),
 [T 200](#)
Laboratory pulp processing
 see Laboratory beating
Laboratory refining
 Laboratory beating of pulp (PFI mill method),
 [T 248](#)

 Laboratory beating of pulp (Valley beater method),
 [T 200](#)
Lap joints
 see also Joints
Latency
 Preparation of mechanical pulps for testing, [T 262](#)
Length
 Weight-volume measurement of pulpwood, [T 268](#)
Liebermann-Storch test
 see Rosin
Life tests
 Accelerated pollutant aging of printing and writing
 paper by pollution chamber exposure apparatus,
 [T 572](#)
 Accelerated temperature aging of printing and
 writing paper by dry oven exposure apparatus,
 [T 573](#)
Lift strength
 see Surface strength

Light

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 Dirt in paper and paperboard, [T 437](#)

Light sources

Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
 Visual grading and color matching of paper, [T 515](#)

Light-scattering coefficient

see Optical scattering

Lignin

Acid-insoluble lignin in wood and pulp, [T 222](#)
 Kappa number of pulp, [T 236](#)

Lime

Analysis of lime, [T 617](#)
 Analysis of salt cake, [T 619](#)

Limestone

Analysis of limestone, [T 618](#)

Linearity

Photometric linearity of optical properties instruments, [T 1217](#)

Liner separation

see Separation

Linerboards

Bursting strength, [T 807](#)
 Determining construction (nominal basis weight) of corrugated board, [T 844](#)

Lofton-Merritt stain

see Fiber analysis, Staining

Logs

see also Wood
 Basic density and moisture content of pulp wood, [T 258](#)
 Sampling and preparing wood for analysis, [T 257](#)
 Weight-volume measurement of pulpwood, [T 268](#)

Lorentzen & Wettre-type tester

see Stiffness

Loss on heating

see Weight

Loss on ignition

Analysis of talc, [T 665](#)
 Loss on ignition of fiber glass mats, [T 1013](#)
 Analysis of limestone, [T 618](#)

Lot acceptance

see Acceptability

Low-density polyethylene (LDPE)

Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

Luminosity

Color of paper and paperboard (45/0, C/2), [T 524](#)
 Color of paper and paperboard (d/0, C/2), [T 527](#)

Luminous factor

see Reflectance

Luminous reflectance

Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Machine direction

Grammage variation measurement (gravimetric method), [T 546](#)

Machine direction of paper and paperboard, [T 409](#)

Machine operation

Training standard for paper machine tender, [T 1501](#)

Machine tenders

Training standard for paper machine tender, [T 1501](#)

Magnesia

see Magnesium oxide

Magnesium

Analysis of soda and sulfate black liquor, [T 625](#)
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)

Magnesium oxide (magnesia)

Analysis of limestone, [T 618](#)
 Analysis of salt cake, [T 619](#)
 Analysis of talc, [T 665](#)

Magnesium silicate

Analysis of talc, [T 665](#)

Manganese

Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)

Manila hemp

Species identification of nonwood plant fibers, [T 259](#)

Mannan

Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Mass per unit area

see Grammage

Mass transfer

Static creasing of paper for water vapor transmission tests, [T 465](#)
 Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)

Mats

see Fiber glass mats

Measurement

Units of measurement and conversion factors, [T 1210](#)

Measuring instruments

Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)

Mechanical properties

see specific property, e.g., Burst strength

Mechanical pulps

Preparation of mechanical pulps for testing, [T 262](#)
 Pulp screening (Valley-type screening device), [T 278](#)
 Screening of pulp (Somerville-type equipment), [T 275](#)

Melamine-formaldehyde resins

see Polymelamines

Melamine resins

see Polymelamines

Metals
see specific metal, e.g., Iron, etc.

Metal Tarnish Test
 Silver tarnishing by paper and paperboard, [T 444](#)

Methyl orange
see Indicators, preparation of

Methyl red
see Indicators, preparation of

Metric system
see Units of measurement

Microbiological examination
see Microbiology

Microbiology
 Bacteriological examination of paper and paperboard, [T 449](#)
 Microbiological enumeration of process water and slush pulp, [T 631](#)

Micrometer
 Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)

Microorganism control
 Bacteriological examination of paper and paperboard, [T 449](#)
 Microbiological enumeration of process water and slush pulp, [T 631](#)

Microscopy
 Fiber analysis of paper and paperboard, [T 401](#)
 Identification of wood and fibers from conifers, [T 263](#)

Mineral acids
see Inorganic acids

Mineral coating
see Coatings

Mineral components
see Minerals

Mineral constituents
see Ash content

Mineral fillers
see Fillers

Mineral oil
see Oil absorbency

Mineral pigments
see Pigments

Mineral salts
see Ash content

Minerals
 Brightness of clay and other mineral pigments (45/0), [T 646](#)
 Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
 Determination of titanium dioxide, [T 627](#)

Mixed waste papers
 Macro stickies content in pulp: the “pick-up” method, [T 277](#)

MIT folding testers
 Folding endurance of paper (MIT tester), [T 511](#)

Modulus of elasticity
see Elastic strength

Modulus of rupture
see Rupture modulus

Moist heat
see Heat

Moisture
see also Moisture content
 Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture content
 Analysis of rosin size, [T 628](#)
 Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)
 Moisture content of fiber glass mats, [T 1012](#)
 Moisture in pulp, paper and paperboard, [T 412](#)
 Preparation of wood for chemical analysis, [T 264](#)
 Basic density and moisture content of pulp wood, [T 258](#)
 Analysis of salt cake, [T 619](#)
 Sampling and testing wood pulp shipments for moisture, [T 210](#)

Moisture sensitivity
 Moisture sensitivity of fiber glass mats, [T 1014](#)

Monosaccharides
 Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Morphological characteristics
see Fiber analysis

Morris method
see Edge crush resistance

Mullen
see Burst strength

Multi-ply boards
see Corrugated boards

Multiwall bags
 Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

N

NIR (Near infrared reflectance)
see Reflectance

Nail resistance
see Edge nail strength

Napkin papers
 Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
 Dry tensile properties of paper towel and tissue products (using constant rate of elongation apparatus) [T 581](#)

Natural dirt
 Natural dirt in wood chips, [T 265](#)

NCR stain
see Fiber analysis, Staining

Neckdown
see Edge crush resistance

Neutral sulfite pulps
see Pulps

Newsprint
 Macro stickies content in pulp: the “pick-up” method, [T 277](#)

Nitrogen

Organic nitrogen in paper and paperboard, [T 418](#)

Nitrogen compounds

Organic nitrogen in paper and paperboard, [T 418](#)

Nitrogen oxides

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Nomenclature

Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)

Nonbibulous paperboard

see Sized papers

Nonbibulous papers

see Sized paper/paperboard

Nonvolatile matter

see Volatility

Nonwood fibers

Species identification of nonwood plant fibers, [T 259](#)

Nonwood plants

Species identification of nonwood plant fibers, [T 259](#)

Nonwovens

see also Insulating boards

Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)

O

Oat straw

Species identification of nonwood plant fibers, [T 259](#)

OCR

Dirt count in paper and paperboard (optical character recognition - OCR), [T 537](#)

Odors

Odor of packaging materials, [T 483](#)

Oil

Grease resistance for paper and paperboard, [T 559](#)

Oil absorption

Castor-oil penetration test for paper, [T 462](#)

Oil penetration tests

Castor-oil penetration test for paper, [T 462](#)

Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Oil resistance/repellence

see Grease resistance

Okra

Species identification of nonwood plant fibers, [T 259](#)

Opacity

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Diffuse opacity of paper ($d/0$ paper backing), [T 519](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞ ;

TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)

Opacity of paper ($15/d$ geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)

Opaque pigments

see Pigments

Optical character recognition

see OCR

Optical instruments

Photometric linearity of optical properties instruments, [T 1217](#)

The determination of instrumental color differences, [T 1215](#)

Optical measurement

Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)

Optical measurements terminology (related to appearance evaluation of paper), [T 1500](#)

Storage of paper samples for optical measurements and color matching, [T 1219](#)

The determination of instrumental color differences, [T 1215](#)

Optical microscopy

see Microscopy

Optical properties

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Photometric linearity of optical properties instruments, [T 1217](#)

Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)

Organic matter

Organic nitrogen in paper and paperboard, [T 418](#)

Oven-dry density

see Density

Oven-dry volume

see Volume

Oven-dry weight

see Weight

P

Packaging materials

Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Grease resistance of, [T 507](#)

Odor of packaging materials, [T 483](#)

Packaging paper

Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)

Paper

see also specific properties, e.g., Grammage, Thickness, *etc.*

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
Acceptance sampling, [T 400](#)
Acid-soluble iron in paper, [T 434](#)
Aging of paper and board with moist heat, [T 544](#)
Air permeance of paper and paperboard (Sheffield method), [T 547](#)
Alkalinity as calcium carbonate (alkaline reserve), [T 553](#)
Alpha-cellulose content, [T 429](#)
Ash in wood, pulp, paper, and paperboard, [T 244](#)
Ash in wood, pulp, paper and paperboard: combustion at 525°C, [T 211](#)
Ash in wood, pulp, paper and paperboard: combustion at 900°C [T 413](#)
Bacteriological examination of paper and paperboard, [T 449](#)
Bending resistance of paper (Gurley-type tester), [T 543](#)
Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)
Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)
Blister resistance of coated paper in heatset printing, [T 526](#)
Brightness of pulp, paper, and paperboard (directional reflectance at 457nm), [T 452](#),
Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)
Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)
Book bulk and bulking number of paper, [T 500](#)
Bursting strength of paper, [T 403](#)
Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
Color of paper and paperboard (d/0, C/2), [T 527](#)
Color of paper and paperboard (45/0, C/2), [T 524](#)
Copper number, [T 430](#)
Creasing of flexible packaging material paper specimens for testing, [T 512](#)
Curl, [T 520](#)
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
Diffuse opacity of paper (d/0 paper backing), [T 519](#)
Dirt in paper and paperboard, [T 437](#)
Dirt count in paper and paperboard (optical

character recognition – OCR), [T 537](#)
Effect of dry heat on properties of paper and board, [T 453](#)
Equilibrium moisture content, [T 550](#)
Equilibrium relative humidity of paper and paperboard, [T 502](#)
Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
Flame resistance, [T 461](#)
Folding endurance, [T 511](#)
Folding endurance of paper (Schopper type tester), [T 423](#)
Glue in paper (qualitative and quantitative determination), [T 504](#)
Grease resistance for paper and paperboard, [T 559](#)
Grease resistance of flexible packaging materials, [T 507](#)
Hot water extractable acidity or alkalinity of paper, [T 428](#)
Hydrogen ion concentration of paper extracts (cold extraction method), [T 509](#)
Hydrogen ion concentration of paper extracts (hot extraction method), [T 435](#)
Identification and determination of melamine resin in paper, [T 493](#)
Ink absorbency of blotting paper, [T 431](#)
Internal tearing resistance of paper (Elmendorf-type method), [T 414](#)
Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Size test for paper by ink resistance (Hercules-type method), [T 530](#)
Machine direction of paper and paperboard, [T 409](#)
Moisture content, [T 412](#), [T 550](#)
Nitrogen content, [T 418](#)
Oil penetration, [T 462](#)
Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)
pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
Surface strength of paper (wax pick test), [T 459](#)
Fiber analysis of paper and paperboard, [T 401](#)
Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
Reducible sulfur in paper and paperboard, [T 406](#)
Rosin content, [T 408](#)
Roughness, [T 555](#)
Silver tarnishing by paper and paperboard, [T 444](#)
Smoothness of paper (Bekk method), [T 479](#)
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)
Specular gloss, [T 480](#)
Specular gloss of paper and paperboard at 20 degrees, [T 653](#)
Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)

Starch in paper, [T 419](#)
 Static creasing of paper for water vapor transmission tests, [T 465](#)
 Surface pH measurement of paper, [T 529](#)
 Surface wettability, [T 458](#), [T 558](#)
 Tensile breaking strength of water-saturated paper and paperboard ("wet tensile strength"), [T 456](#)
 Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
 Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
 Thickness of paper and paperboard (soft platen method), [T 551](#)
 Titanium dioxide, [T 627](#)
 Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
 Visual grading and color matching of paper, [T 515](#)
 Water absorbency of bibulous papers, [T 432](#)
 Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
 Water-soluble chlorides in pulp and paper, [T 256](#)
 Water-soluble sulfates in pulp and paper, [T 255](#)
 Wettability, [T 458](#)
 Identification of wire side in paper, [T 455](#)
 Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)

Paper coating clays
 see Clay

Paper properties
 Aging of paper and board with moist heat, [T 544](#)
 Effect of dry heat on properties of paper and board, [T 453](#)

Paper machines
 Training standard for paper machine tender, [T 1501](#)

Paper sheets
 Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)

Paper shipping sacks
 see Shipping sack papers

Paperboard
 see also Corrugated board, Fiberboard; *see also specific properties, e.g.,* Abrasion resistance, Brightness, *etc.*
 Ash in wood, pulp, paper, and paperboard, [T 244](#)
 Acid-soluble iron in paper, [T 434](#)
 Aging of paper and board with moist heat, [T 544](#)
 Air permeance of paper and paperboard (Sheffield method), [T 547](#)
 Ash in wood, pulp, paper and paperboard: combustion at 525°C, [T 211](#)
 Ash in wood, pulp, paper and paperboard: combustion at 900°C [T 413](#)
 Bacteriological examination of paper and paperboard, [T 449](#)
 Bending number of paperboard, [T 495](#)
 Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
 Bending resistance of paper (Gurley-type tester), [T 543](#)
 Bending resistance of paper and paperboard by single-point bending methods [T 556](#)
 Blister resistance of coated paper in heatset printing, [T 526](#)
 Brightness of pulp, paper, and paperboard (directional reflectance at 457nm), [T 452](#),
 Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)
 Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 Color of paper and paperboard (45/0, C/2), [T 524](#)
 Color of paper and paperboard (d/0, C/2), [T 527](#)
 Copper number, [T 430](#)
 Dirt in paper and paperboard, [T 437](#),
 Dirt count in paper and paperboard (optical character recognition – OCR), [T 537](#)
 Effect of dry heat on properties of paper and board, [T 453](#)
 Equilibrium moisture in pulp, paper and paperboard for chemical analysis, [T 550](#)
 Equilibrium relative humidity of paper and paperboard, [T 502](#)
 Equivalent black area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 Fiber analysis of, [T 401](#)
 Flame resistance, [T 461](#)
 Specular gloss of paper and paperboard at 20 degrees, [T 653](#)
 Grease resistance test for paper and paperboard, [T 559](#)
 Internal bond strength of paperboard (z-direction tensile), [T 541](#)
 Machine direction of paper and paperboard, [T 409](#)
 Moisture content, [T 412](#)
 Organic nitrogen, [T 418](#)
 pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
 Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
 Reducible sulfur in paper and paperboard, [T 406](#)
 Ring crush of paperboard (rigid support method), [T 822](#)
 Ring crush of paperboard (flexible beam method), [T 818](#)
 Rosin, [T 408](#)
 Roughness, [T 555](#)
 Sampling and accepting a single lot of, [T 400](#)
 Score bend test, [T 577](#)
 Silver tarnishing by paper and paperboard, [T 444](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

- Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)
- Specular gloss of paper and paperboard at 75°, [T 480](#)
- Standard conditioning and testing atmospheres for paper, board, pulp handsheets, and related products, [T 402](#)
- Stiffness, [T 836](#)
- Surface strength of paper (wax pick test), [T 459](#)
- Surface wettability, [T 458](#), [T 558](#)
- Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
- Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
- Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
- Thickness of paper and paperboard (soft platen method), [T 551](#)
- Water immersion number of paperboard, [T 491](#)
- Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
- Zero-span breaking strength of pulp (dry zero-span tensile), [T 231](#)
- Paper board
- Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
- Papermaking fibers
- see* Fibers
- Papers, impregnated
- see* Impregnated papers
- Paper towels
- Dry tensile properties of paper towel and tissue products (using constant rate of elongation apparatus) [T 581](#)
- Parchment papers
- Grease resistance of flexible packaging materials, [T 507](#)
- Turpentine test for voids in glassine and greaseproof papers, [T 454](#)
- Paste size
- see* Rosin size
- Pastes
- see* Pigments
- Penetration
- Castor-oil test for paper, [T 462](#)
- Size test for paper by ink resistance (Hercules-type method), [T 530](#)
- Pentosans
- Pentosans in wood and pulp, [T 223](#)
- Permanganate Number
- Kappa number of pulp, [T 236](#)
- Permeability
- see also* Air permeability
- Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
- Permeance
- see* Permeability
- Personnel
- Training standard for paper machine tender, [T 1501](#)
- Petroleum wax
- see* Paraffin wax
- PFI mill
- Laboratory beating of pulp (PFI mill method), [T 248](#)
- pH
- Hydrogen ion concentration (pH) of paper extracts (cold extraction method), [T 509](#)
- Hydrogen ion concentration (pH) of paper extracts (hot extraction method), [T 435](#)
- pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
- Surface pH measurement of paper, [T 529](#)
- Phenol red
- see* Indicators, preparation of
- Phenolphthalein
- see* Indicators, preparation of
- Photochemistry
- Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
- Photometers
- Color of paper and paperboard (d/0, C/2), [T 527](#)
- Color of paper and paperboard (45/0, C/2), [T 524](#)
- Photometry
- Photometric linearity of optical properties instruments, [T 1217](#)
- Physical properties
- Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
- Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Physical tests
- Physical testing of pulp handsheets, [T 220](#)
- Phytosterols
- Determination of in wood and pulp, [T 204](#)
- Pick resistance
- Surface strength of paper (wax pick test), [T 459](#)
- Picking
- Internal bond strength (Scott type), [T 569](#)
- Pigments
- see also* Fillers
- Ash in wood, pulp, paper and paperboard: combustion at 900°C, [T 413](#)
- Brightness of clay and other mineral pigments (45/0), [T 646](#)
- Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
- Sampling of fillers and pigments, [T 657](#)
- Titanium dioxide in, [T 627](#)
- Pin adhesion tests
- Pin adhesion of corrugated board by selective separation, [T 821](#)
- Wet pin adhesion of corrugated board by selective separation, [T 845](#)

- Pitch
 - Wood pulp, [T 204](#)
- Plant fibers
 - Species identification of nonwood plant fibers, [T 259](#)
- Plastics
 - Pulp screening (Valley-type screening device), [T 278](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
- Ply separation
 - Solid and corrugated fiberboard, [T 812](#)
- Polarized light
 - Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
- Polychromatic illumination
 - see* Spectral reflectance
- Polyethylene adhesion
 - see* Adhesion, Polyethylene
- Polymelamines
 - Identification and determination of melamine resin in paper, [T 493](#)
 - Organic nitrogen in paper and paperboard, [T 418](#)
- Polyolefin film
 - see* Films
- Polysulfides
 - Analysis of soda and sulfate white and green liquors, [T 624](#)
 - Reducible sulfur in paper and paperboard, [T 406](#)
- Polythionates
 - Reducible sulfur in paper and paperboard, [T 406](#)
- Polyureas
 - Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
 - Organic nitrogen in paper and paperboard, [T 418](#)
- Porosity
 - Air permeance of paper and paperboard (Sheffield method), [T 547](#)
 - Air resistance of paper (Gurley method), [T 460](#)
 - Castor-oil penetration test for paper, [T 462](#)
 - Resistance of paper to passage of air (high-pressure Gurley method), [T 536](#)
- Porous substrates
 - see* Substrates
- Potassium dichromate
 - Preparation of indicators and standard solutions, [T 610](#)
- Potassium hydroxide
 - Preparation of indicators and standard solutions, [T 610](#)
- Potassium permanganate
 - Preparation of indicators and standard solutions, [T 610](#)
- Potassium thiocyanate
 - Preparation of indicators and standard solutions, [T 610](#)
- Potassium titanate
 - see* Pigments
- Precision
 - Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)
- Preconditioning
 - see* Conditioning
- Preparation
 - see* Sample preparation
- Preparation of solutions
 - see* Standard solutions
- Preservation of paper
 - see* Permanence
- Print quality
 - see* Printability
- Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Printability
 - Roughness of paper and paperboard (Print-Surf method), [T 555](#)
 - Surface wettability of paper (angle of contact method), [T 458](#)
- Printing
 - Blister resistance of coated paper in heatset printing, [T 526](#)
 - Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
- Printing ink
 - see* Ink
- Printing opacity
 - see* Opacity
- Printing paper
 - see also* Paper
 - Blister resistance of coated, [T 526](#)
 - Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
- Print-Surf method
 - see* Smoothness
- Probability sampling plan
 - see* Sampling
- Process water
 - Microbiological enumeration of, [T 631](#)
- Processing of pulp
 - see* Laboratory beating
- Profile
 - Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
 - Machine direction grammage variation measurement (gravimetric method), [T 546](#)
- Projection
 - Fiber length of pulp by projection, [T 232](#)
 - Surface wettability of paper (angle of contact method), [T 458](#)
- Pulp
 - Ash in wood, pulp, paper, and paperboard, [T 244](#)
 - Acid-insoluble lignin in wood and pulp, [T 222](#)
 - Alkali solubility at 25°C, [T 235](#)
 - Alpha-, beta-, gamma-cellulose fraction determination, [T 203](#)
 - Ash in wood, pulp, paper and paperboard: combustion at 525°C, [T 211](#)
 - Ash in wood, pulp, paper and paperboard:

combustion at 900°C [T 413](#)
 Brightness of pulp, paper, and paperboard (directional reflectance at 457nm), [T 452](#),
 Diffuse brightness of paper, paperboard and pulp (d/0) – Ultraviolet Level C, [T 525](#)
 Diffuse brightness of paper, paperboard and pulp (d/0) (ultraviolet level D65), [T 579](#)
 Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
 Carboxyl group content, [T 237](#)
 Consistency (concentration) of pulp suspensions, [T 240](#)
 Copper number, [T 430](#)
 Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
 Dirt in pulp, [T 213](#)
 Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 Drainage time, [T 221](#)
 Equivalent Black Area (EBA) and count of visible Fiber coarseness, [T 234](#)
 Fiber length (classification), [T 233](#)
 Fiber length of pulp by projection, [T 232](#)
 Fiber length of pulp and paper by automated optical analyzer using polarized light, [T 271](#)
 Freeness of pulp (Canadian standard method), [T 227](#)
 Kappa number of pulp, [T 236](#)
 Laboratory beating of pulp (PFI mill method), [T 248](#)
 Laboratory beating of pulp (Valley beater method), [T 200](#)
 Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 Microbiological enumeration, [T 631](#)
 Moisture content, [T 210](#), [T 412](#), [T 550](#)
 Pentosans in wood and pulp, [T 223](#)
 pH and electrical conductivity of hot water extracts of pulp, paper, and paperboard, [T 252](#)
 Physical area of sub-visible contraries in pulp, paper and paperboard by image analysis, [T 568](#)
 Physical testing of pulp handsheets, [T 220](#)
 Preparation of mechanical pulps for testing, [T 262](#)
 Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)
 Silicate/silica content, [T 245](#)
 One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 Solvent extractives determination, [T 204](#)
 Specific external surface, [T 226](#)
 Sulfur dioxide in sulfite cooking liquor, [T 604](#)
 Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)
 Viscosity of pulp (capillary viscometer method), [T 230](#)
 Water solubility of wood and pulp, [T 207](#)
 Water soluble chlorides in pulp and paper, [T 256](#)

Water soluble sulfates in pulp and paper, [T 255](#)
 Zero-span breaking strength, [T 231](#)
 Pulp bales
 see Baled pulp
 Pulp dispersion apparatus
 see Pulp
 Pulp fibers
 see Fibers
 Pulp handsheets
 see Handsheets
 Pulp properties
 Forming handsheets for physical tests of pulp, [T 205](#)
 Pulp quality
 see Pulp
 Pulp slush stock
 see Slush pulps
 Pulp suspensions
 see Pulp
 Pulp tests
 Forming handsheets for physical tests of pulp, [T 205](#)
 Pulp yields
 Compression wood identification in pulpwood, [T 267](#)
 Pulping
 Pulp screening (Valley-type screening device), [T 278](#)
 Pulping liquors
 see Liquors, *or see specific liquor, e.g.,* White liquor, Black liquor, *etc.*
 Pulp
 Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)
 Macro stickies content in pulp: the “pick-up” method, [T 277](#)
 Pulpwood
 see also Wood
 Weight-volume measurement of pulpwood, [T 268](#)
 Pulpwood chips
 see Chips
 Pulpwood fibers
 see Fibers
 Puncture resistance
 Container board, [T 803](#)
 Puncture tests
 Puncture test of containerboard, [T 803](#)

Q

Qualitative analysis
 Starch in paper, [T 419](#)
 Quality
 Training standard for paper machine tender, [T 1501](#)
 Quality control
 Sampling and accepting a single lot of paper, paperboard, containerboard, or related product, [T 400](#)

Quantitative analysis

Reducible sulfur in paper and paperboard, [T 406](#)

Starch in paper, [T 419](#)

R

Radiation effects

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Ramie

Species identification of nonwood plant fibers, [T 259](#)

Raspail test

see Rosin

Rate of elongation

see Tensile strength

Reagents

Preparation of indicators and standard solutions, [T 610](#)

Ream weight

see Basis weight

Reclaimed fibers

Macro stickies content in pulp: the “pick-up” method, [T 277](#)

Screening of pulp (Somerville-type equipment), [T 275](#)

Recycling

Pulp screening (Valley-type screening device), [T 278](#)

Screening of pulp (Somerville-type equipment), [T 275](#)

Reducible sulfur

Reducible sulfur in paper and paperboard, [T 406](#)

Silver tarnishing by paper and paperboard, [T 444](#)

Reeds

Species identification of nonwood plant fibers, [T 259](#)

Refining

see Laboratory beating

Reflectance

see also Brightness

Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)

Brightness of clay and other mineral pigments (45/0), [T 646](#)

Brightness of pulp, paper, and paperboard (directional reflectance at 457 nm), [T 452](#)

Calibration of reflectance standards for hemispherical geometry, [T 1218](#)

Color of paper and paperboard (45/0, C/2), [T 524](#)

Color of paper and paperboard (d/0, C/2), [T 527](#)

Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)

Diffuse opacity of paper (d/0 paper backing), [T 519](#)

Dirt in paper and paperboard, [T 437](#)

Forming handsheets for reflectance testing of pulp (Büchner funnel procedure), [T 218](#)

Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Interrelation of reflectance, R_0 ; reflectivity, R_∞

TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)

Opacity of paper (15/d geometry, illuminant A/2°, 89% reflectance backing and paper backing), [T 425](#)

Size test for paper by ink resistance (Hercules-type method), [T 530](#)

Forming handsheets for reflectance testing of pulp (sheet machine procedure), [T 272](#)

Reflectance factor

see Reflectance

Reflectometry

see Reflectance

Reflectivity

Interrelation of reflectance, R_0 ; reflectivity, R_∞

TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)

Relative humidity

see Humidity

Remoistening adhesives

Curl of flat gummed papers, [T 520](#)

Repeatability

Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)

Repellence

Grease resistance for paper and paperboard, [T 559](#)

Reproducibility

Interlaboratory evaluation of test methods to determine TAPPI repeatability and reproducibility, [T 1200](#)

Repulping

Pulp screening (Valley-type screening device), [T 278](#)

Resin

see also Wood resin, Rosin

Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)

Identification and determination of melamine resin in paper, [T 493](#)

Resistance

Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)

Resistance to bending

Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)

Resistivity

see Conductivity

Resonance length method

see Stiffness

Revolutions

Laboratory beating of pulp (PFI mill method), [T 248](#)

Revolving hexagonal drum

see Impact tests

Rheology

High Shear Capillary Viscosity of Coating Color on Paper and Paperboard, [T 582](#)

Rheological measurements for characterization of polyolefins: low-density polyethylene (LDPE) for extrusion coating, [T 702](#)

Rice straw
Species identification of nonwood plant fibers, [T 259](#)

Rigid support method
see Flat crush resistance

Rigidity
see Stiffness

Ring crush tests
Ring crush of paperboard (flexible beam method), [T 818](#)
Ring crush of paperboard (rigid support method), [T 822](#)

Roese-Gottlieb method
see Casein, analysis of

Rolls (paperboard)
see Wound rolls

Rosin
Analysis of rosin, [T 621](#)
Analysis of rosin size, [T 628](#)
In paper and paperboard, [T 408](#)

Rosin size
Analysis of rosin size, [T 628](#)

Rotating spindle viscometer
see Viscosity

Roughness
see also Smoothness
Roughness of paper and paperboard (Sheffield method), [T 538](#)

Ruling quality
see Printability

Rupture work
Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)

Rutile titanium dioxide
see Pigments

Rye straw
Species identification of nonwood plant fibers, [T 259](#)

S

Salt cake
Analysis of salt cake, [T 619](#)

Sample preparation
Creasing of flexible packaging material paper specimens for testing, [T 512](#)
Specimen preparation for cross directional internal tearing resistance for paper, paperboard and related materials, [T 496](#)
Sample and preparing wood for analysis, [T 257](#)
Wood for chemical analysis, [T 264](#)

Samples
Storage of paper samples for optical measurements and color matching, [T 1219](#)
Creasing of flexible packaging material paper specimens for testing, [T 512](#)

Sampling
Sampling of fillers and pigments, [T 657](#)

Pulp for moisture, [T 210](#)

Sample location for fiber glass mat sheets, [T 1007](#)

Single lot of paper and paperboard, [T 400](#)

Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)

Weight-volume measurement of pulpwood, [T 268](#)

White waters, [T 656](#)

Sampling and preparing wood for analysis, [T 257](#)

Sand
Analysis of rosin, [T 621](#)

Sanitary tissues
see Tissue papers

Saponification number
Analysis of rosin, [T 621](#)

Saturation
Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)

Sawdust
Sampling and preparing wood for analysis, [T 257](#)

Scattering
Determination of effective residual ink concentration (ERIC) by infrared reflectance measurement, [T 567](#)
Interrelation of reflectance, R_0 ; reflectivity, R_∞ ; TAPPI opacity, $C_{0.89}$; scattering, s ; and absorption, k , [T 1214](#)
Opacity of paper (15/ d geometry, illuminant $A/2^\circ$, 89% reflectance backing and paper backing), [T 425](#)

Scattering coefficient
see Optical scattering

Schopper-type tester
see Folding endurance

Score bend efficiency
Score bend test, [T 577](#)

Score-line rupture
see Scores

Scores
Score bend test, [T 577](#)
Score quality test, [T 829](#)

Scoring
Bending number of paperboard, [T 495](#)

Scott bond
see Internal bond

Screen residue
see Mesh residue

Screening
Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
Macro stickies content in pulp: the “pick-up” method, [T 277](#)
Pulp screening (Valley-type screening device), [T 278](#)
Screening of pulp (Somerville-type equipment), [T 275](#)

Screens
Fiber length of pulp by classification, [T 233](#)

Seal adhesion
 see Sealants
 Sealants
 Envelope seal, seam, and window patch testing, [T 516](#)
 Seals
 see Window envelopes
 Seams
 see Window envelopes
 Sedimentation method
 see Particle size distribution
 Selleger's stain
 see Fiber analysis, Staining
 Sensitivity
 Moisture sensitivity of fiber glass mats, [T 1014](#)
 Separation
 Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 Pin adhesion of corrugated board by selective separation, [T 821](#)
 Screening of pulp (Somerville-type equipment), [T 275](#)
 Wet pin adhesion of corrugated board by selective separation, [T 845](#)
 Sheet formation
 see Formation
 Sheet machines (laboratory)
 see Handsheet formers
 Sheet materials
 see Sheets
 Sheets
 Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)
 Sheffield method
 see Smoothness, Air permeability
 Sheffield smoothness
 Roughness of paper and paperboard (Sheffield method), [T 538](#)
 Shipping containers
 see also Containers
 Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 Shives
 Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 Pulp screening (Valley-type screening device), [T 278](#)
 Screening of pulp (Somerville-type equipment), [T 275](#)
 Shock
 Drum test for fiberboard shipping containers, [T 800](#)
 Short column test
 see Edge crush resistance
 SI units
 see Units of measurement
 Sides
 Identification of wire side of paper, [T 455](#)
 Silica
 Ash in wood, pulp, paper, and paperboard, [T 244](#)
 Analysis of limestone, [T 618](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
 Analysis of sodium silicate, [T 632](#)
 Analysis of talc, [T 665](#)
 Silicates and silica in pulp (wet ash method), [T 245](#)
 Silicate pigments
 see Pigments
 Silicates
 Ash in wood, pulp, paper, and paperboard, [T 244](#)
 Silicates and silica in pulp (wet ash method), [T 245](#)
 Silicon dioxide
 see Silica
 Silver nitrate
 Preparation of indicators and standard solutions, [T 610](#)
 Silvering method
 see Specific surface
 Sisal
 Species identification of nonwood plant fibers, [T 259](#)
 Size
 Grease resistance for paper and paperboard, [T 559](#)
 Size emulsion
 see Rosin size
 Sized papers
 Size test for paper by ink resistance (Hercules-type method), [T 530](#)
 Surface wettability of paper (angle of contact method), [T 458](#)
 Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 Sizing
 Size test for paper by ink resistance (Hercules-type method), [T 530](#)
 Water absorption of corrugating medium: water drop penetration test, [T 831](#)
 Water absorptiveness of sized (non-bibulous) paper, paperboard, and corrugated fiberboard (Cobb test), [T 441](#)
 Water immersion number of paperboard, [T 491](#)
 Slide angle
 Coefficient of static friction (slide angle) of packaging and packaging materials (including shipping sack papers, corrugated and solid fiberboard) (inclined plane method), [T 815](#)
 Slide resistance
 see Friction, Slide angle
 Slowness of pulp/stock
 see Freeness
 Slurry
 Accelerated test for viscosity stability of clay slurries, [T 697](#)
 Viscosity of coating clay slurry, [T 648](#)
 Slush pulps
 Microbiological enumeration of process water and slush pulp, [T 631](#)
 Smoothness
 Smoothness of paper (Bekk method), [T 479](#)
 Paper and paperboard (Print-Surf method), [T 555](#)

- Roughness of paper and paperboard (Sheffield method), [T 538](#)
- Soda ash
 - see* Sodium carbonate
- Soda pulping
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Soda pulps
 - see* Pulps
- Sodium
 - Analysis of soda and sulfate black liquor, [T 625](#)
 - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
- Sodium bicarbonate
 - Analysis of salt cake, [T 619](#)
- Sodium chloride
 - Analysis of salt cake, [T 619](#)
- Sodium hydrosulfite
 - Analysis of sodium hydrosulfite, [T 622](#)
- Sodium hydroxide
 - Analysis of caustic soda, [T 613](#)
 - One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 - Preparation of indicators and standard solutions, [T 610](#)
 - Use of in determining alkali solubility of pulp, [T 235](#)
- Sodium oxide
 - Analysis of salt cake, [T 619](#)
 - Analysis of sodium silicate, [T 632](#)
- Sodium silicate
 - Analysis of sodium silicate, [T 632](#)
- Sodium sulfate
 - Analysis of salt cake, [T 619](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium sulfide
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium sulfite
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Sodium thiosulfate
 - Preparation of indicators and standard solutions, [T 610](#)
 - Analysis of soda and sulfate black liquor, [T 625](#)
- Softwoods
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Identification of wood and fibers from conifers, [T 263](#)
- Solid fiberboard
 - see* Fiberboard
- Solids content
 - Analysis of rosin size, [T 628](#)
 - Solids content of black liquor, [T 650](#)
 - Measuring, sampling, and analyzing white waters, [T 656](#)
 - Suspended solids in kraft green and black liquor, [T 692](#)
- Solubility
 - Alkali solubility of pulp at 25°C, [T 235](#)
 - Analysis of limestone, [T 618](#)
 - Analysis of rosin, [T 621](#)
 - One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
- Soluble material
 - see* Solubility
- Solutions
 - Analysis of formaldehyde in aqueous solutions and of free formaldehyde in resins, [T 600](#)
- Solvent extractives
 - see* Solvents
- Solvents
 - Extractives of wood and pulp, [T 204](#)
- Soxhlet apparatus
 - see* Extraction, Rosin
- Species identification
 - Species identification of nonwood plant fibers, [T 259](#)
- Specific gravity
 - see* Density
- Specific handling stiffness
 - see* Stiffness
- Specific surface
 - Specific external strength of pulp, [T 226](#)
- Specific volume
 - see* Bulk
- Spectrometers
 - Color of paper and paperboard (45/0, C/2), [T 524](#)
 - Color of paper and paperboard (d/0, C/2), [T 527](#)
- Spectrophotometry
 - see* Spectroscopy
- Spectroscopy
 - Determination of sodium, calcium, copper, iron and manganese in pulp and paper by atomic absorption spectroscopy, [T 266](#)
 - Identification and determination of melamine resin in paper, [T 493](#)
- Specular gloss
 - see* Gloss
- Splitting
 - see* Ply separation
- Spore-cloud method
 - see* Fungi
- Spore-mycelial method
 - see* Fungi
- Stability
 - see also* Permanence
 - Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
 - Accelerated test for viscosity stability of clay slurries, [T 697](#)
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Effect of dry heat on properties of paper and board, [T 453](#)
- Staining
 - Envelope seal, seam, and window patch testing, [T 516](#)
 - Fiber analysis of paper and paperboard, [T 401](#)
- Standard practice

- Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
- Standard solutions
 - Preparation of, [T 610](#)
- Standards
 - Self-certification practice for organizations providing reference materials for TAPPI Standards, [T 1211](#)
 - Calibration of reflectance standards for hemispherical geometry, [T 1218](#)
- Starch
 - Starch in paper, [T 419](#)
 - Water solubility of wood and pulp, [T 207](#)
- Starch indicator
 - see* Indicators, preparation of
- Static creasing
 - see* Creasing
- Static friction
 - see* Friction
- Static tests
 - Static creasing of paper for water vapor transmission tests, [T 465](#)
- Stickies
 - Laboratory screening of pulp (MasterScreen-type instrument), [T 274](#)
 - Macro stickies content in pulp: the “pick-up” method, [T 277](#)
 - Pulp screening (Valley-type screening device), [T 278](#)
 - Screening of pulp (Somerville-type equipment), [T 275](#)
- Stiffness
 - Bending resistance of paper and paperboard by single-point bending methods, [T 556](#)
 - Bending resistance (stiffness) of paper (Taber-type tester in 0 to 10 Taber stiffness unit configuration), [T 566](#)
 - Bending resistance (stiffness) of paper and paperboard (Taber-type tester in basic configuration), [T 489](#)
 - Corrugated board stiffness, four point method, [T 836](#)
 - Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
 - Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
- Stokes' Law
 - see* Particle size distribution
- Storage
 - Storage of paper samples for optical measurements and color matching, [T 1219](#)
- Straw
 - Fiber analysis of paper and paperboard, [T 401](#)
 - Species identification of nonwood plant fibers, [T 259](#)
- Strength tests
 - see* Bond strength, Burst strength, Compression tests, Tear strength, Tensile strength, Impact tests
 - Accelerated pollutant aging of printing and writing paper by pollution chamber exposure apparatus, [T 572](#)
 - Accelerated temperature aging of printing and writing paper by dry oven exposure apparatus, [T 573](#)
- Stretch
 - Tensile properties of paper and paperboard (using constant rate of elongation apparatus), [T 494](#)
 - Dry tensile properties of paper towel and tissue products (using constant rate of elongation apparatus) [T 581](#)
 - Tensile strength and elongation at break for fiber glass mats, [T 1009](#)
- Strip method
 - see* Baled pulp
- Stripping strength
 - see* Peel strength
- Structural fiber insulating board
 - see* Insulating board
- Submersion
 - Water immersion number of paperboard, [T 491](#)
- Substance
 - see* Basis weight
- Sugar cane
 - Species identification of nonwood plant fibers, [T 259](#)
- Sugars
 - Water solubility of wood and pulp, [T 207](#)
- Sulfate liquors
 - see* Kraft liquors
- Sulfate soap
 - see* Tall oil soap
- Sulfated ash
 - see* Ash content
- Sulfates
 - Analysis of caustic soda, [T 613](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Water-soluble sulfates in pulp and paper, [T 255](#)
- Sulfide
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
 - Reducible sulfur in paper and paperboard, [T 406](#)
- Sulfide-free reducing compounds
 - Analysis of soda and sulfate white and green liquors, [T 624](#)
- Sulfite
 - Reducible sulfur in paper and paperboard, [T 406](#)
 - Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
- Sulfite liquors
 - Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Sulfite pulps
 - Sulfur dioxide in sulfite cooking liquor, [T 604](#)
- Sulfur
 - Analysis of soda and sulfate black liquor, [T 625](#)
 - Reducible sulfur in paper and paperboard, [T 406](#)
- Sulfur dioxide
 - Analysis of sulfuric acid, [T 602](#)
 - Sulfur dioxide in sulfite cooking liquor, [T 604](#)

Sulfur trioxide
Analysis of salt cake, [T 619](#)
Sulfuric acid
Analysis of sulfuric acid, [T 602](#)
Preparation of indicators and standard solutions,
[T 610](#)
Sunn hemp
Species identification of nonwood plant fibers,
[T 259](#)
Surface area
see Specific surface
Surface pH
see pH
Surface roughness
Roughness of paper and paperboard (Sheffield
method), [T 538](#)
Surface strength
Abrasion loss of paper and paperboard (Taber-type
method), [T 476](#)
Surface strength of paper (wax pick test), [T 459](#)
Surface wettability
see Wettability
Surfaces
Dirt in paper and paperboard, [T 437](#)
Suspect test determinations
see Test determinations
Suspended solids
Determination of in kraft green and white liquor,
[T 692](#)
Measuring, sampling, and analyzing white waters,
[T 656](#)
Suspensions (pulp)
see Dispersions
Sutherland test
see Ink rub resistance

T

Taber stiffness
Bending resistance (stiffness) of paper and
paperboard (Taber-type tester in basic
configuration), [T 489](#)
Talc
Analysis of talc, [T 665](#)
Qualitative (including optical microscopic) analysis
of mineral filler and mineral coating of paper, [T 421](#)
Tall oil rosin
see Rosin
Tear factor
see Tear strength
Tear strength
Internal tearing resistance of paper (Elmendorf-type
method), [T 414](#)
Testing of fiber glass mats: use of modified TAPPI
procedures for sampling and lot acceptance,
stiffness, tear resistance, and thickness, [T 1006](#)
Tearing resistance
See also Tear strength
Specimen preparation for cross directional internal
tearing resistance for paper, paperboard and related
materials, [T 496](#)

Temperature control
Standard conditioning and testing atmospheres for
paper, board, pulp handsheets, and related products,
[T 402](#)
Test conditions for fiber glass mat test methods,
[T 1008](#)
Tensile breaking strength
see also Tensile strength
Tensile energy absorption (TEA)
Internal bond strength (Scott type), [T 569](#)
Tensile properties of paper and paperboard (using
constant rate of elongation apparatus), [T 494](#)
Dry tensile properties of paper towel and tissue
products (using constant rate of elongation
apparatus) [T 581](#)
Tensile index
see Tensile strength
Tensile properties
Internal tearing resistance of paper (Elmendorf-type
method), [T 414](#)
Tensile strength
Elongation at break for fiber glass mats, [T 1009](#)
Internal bond strength of paperboard (z-direction
tensile), [T 541](#)
Tensile breaking strength of water-saturated paper
and paperboard (“wet tensile strength”), [T 456](#)
Tensile properties of paper and paperboard (using
constant rate of elongation apparatus), [T 494](#)
Dry tensile properties of paper towel and tissue
products (using constant rate of elongation
apparatus) [T 581](#)
Tensile stress
Internal bond strength (Scott type), [T 569](#)
Tensile tests
Tensile properties of paper and paperboard (using
constant rate of elongation apparatus), [T 494](#)
Dry tensile properties of paper towel and tissue
products (using constant rate of elongation
apparatus) [T 581](#)
Terminology
Optical measurements terminology (related to
appearance evaluation of paper), [T 1500](#)
Test conditions
Standard conditioning and testing atmospheres for
paper, board, pulp handsheets, and related products,
[T 402](#)
Test facilities
Standard conditioning and testing atmospheres for
paper, board, pulp handsheets, and related products,
[T 402](#)
Test sheets
see Handsheets
Test methods
Dealing with suspect (outlying) test determinations,
[T 1205](#)
Testing
Compression wood identification in pulping, [T 267](#)
Dealing with suspect (outlying) test determinations,
[T 1205](#)
Interlaboratory evaluation of test methods to

determine TAPPI repeatability and reproducibility, [T 1200](#)
Test conditions for fiber glass mat test methods, [T 1008](#)
Testing atmospheres
 see Atmospheres, Test conditions
Thickness
 Book bulk and bulking number of paper, [T 500](#)
 Envelope seal, seam, and window patch testing, [T 516](#)
 Thickness (caliper) of paper, paperboard, and combined board, [T 411](#)
 Testing of fiber glass mats: use of modified TAPPI procedures for sampling and lot acceptance, stiffness, tear resistance, and thickness, [T 1006](#)
 Thickness of paper and paperboard (soft platen method), [T 551](#)
 Towel, tissue, napkin and facial products, [T 580](#)
Thiosulfate
 Reducible sulfur in paper and paperboard, [T 406](#)
Thymol blue
 see Indicators, preparation of
Tinting
 CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
Tissue papers
 see also Absorptivity, Paper products
 Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
 Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
 Water absorbency of bibulous papers, [T 432](#)
Tissues
 see Absorptivity, Paper products, Tissue papers
 Dry tensile properties of paper towel and tissue products (using constant rate of elongation apparatus) [T 581](#)
Titanium
 Qualitative (including optical microscopic) analysis of mineral filler and mineral coating of paper, [T 421](#)
Titanium dioxide
 see also Fillers, Pigments
 Determination of, [T 627](#)
Titratable alkali
 Analysis of bleaching powder, calcium hypochlorite bleach liquor, and bleach sludge, [T 611](#)
Toluene
 Analysis of rosin, [T 621](#)
Total alkali
 Analysis of caustic soda, [T 613](#)
 Analysis of soda and sulfate black liquor, [T 625](#)
Total alkalinity
 see Total alkali
Total reducing compounds
 Analysis of soda and sulfate white and green liquors, [T 624](#)
Total solids
 see Solids content
Total suspended solids

see Suspended solids
Toweling
 see Absorptivity
Toweling papers
 Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
 Thickness (caliper) of towel, tissue, napkin and facial products, [T 580](#)
 Water absorbency of bibulous papers, [T 432](#)
Training
 Training standard for paper machine tender, [T 1501](#)
Transmission rate
 see Water vapor transmission rate
Treated paper and paperboard
 see Flameproof papers, Fungi
Tristimulus values
 Color of paper and paperboard (d/0, C/2), [T 527](#)
 Color of paper and paperboard (45/0, C/2), [T 524](#)
Tub-sized starch
 see Starch
Turpentine tests
 see Grease resistance, Oil penetration tests

U

Ultraviolet radiation
 Light sources for evaluating papers including those containing fluorescent whitening agents, [T 1212](#)
Ultraviolet spectroscopy
 Hexeneuronic acid content of chemical pulp, [T 282](#)
Ultraviolet-containing daylight illuminant
 see Illumination
Uniformity
 Fiber glass mat uniformity (visual defects), [T 1015](#)
Units of measurement
 Units of measurement and conversion factors,, [T 1210](#)
Unsaponifiable materials
 see Saponification number
Urea-formaldehyde resins
 see Polyureas
Useful fiber
 see Fiber

V

Valley beater
 Laboratory beating of pulp (Valley beater method), [T 200](#)
Variation
 Cross-machine grammage profile measurement (gravimetric method), [T 545](#)
 Machine direction grammage variation measurement (gravimetric method), [T 546](#)
Vegetable parchment
 see Parchment papers
Viewing device
 see Compression wood
Viscometer
 High Shear Capillary Viscosity of Coating Color on Paper and Paperboard, [T 582](#)

Viscosity

Accelerated test for viscosity stability of clay slurries, [T 697](#)

Coating clay slurry, [T 648](#)

Cupriethylenediamine disperse viscosity of pulp (falling ball method), [T 254](#)

High Shear Capillary Viscosity of Coating Color on Paper and Paperboard, [T 582](#)

Viscosity of pulp (capillary viscometer method), [T 230](#)

Analysis of sodium silicate, [T 632](#)

Viscosity stability

see Viscosity

Viscosity-velocity product

see Printing

Vision

Fiber glass mat uniformity (visual defects), [T 1015](#)

Visual grading and color matching of paper, [T 515](#)

Visual defects

Fiber glass mat uniformity, [T 1015](#)

Visual efficiency

Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)

Visual grading

Visual grading and color matching of paper, [T 515](#)

Voids

Turpentine test for voids in glassine and greaseproof papers, [T 454](#)

Volatile suspended solids

see Suspended solids

Volatiles content

Analysis of rosin size, [T 628](#)

Volatility

Solvent extractives in wood and pulp, [T 204](#)

Analysis of sulfuric acid, [T 602](#)

Volume

Basic density and moisture content of pulp wood, [T 258](#)

Measuring, sampling, and analyzing white waters, [T 656](#)

Weight-volume measurement of pulpwood, [T 268](#)

Volumetric reagent solutions

see Standard solutions

W

Washer

Open drum washer mat sampling technique, [T 281](#)

Water absorbency/absorption/absorptivity

see Absorptivity

Water absorption

Water absorption of corrugating medium: float curl method, [T 832](#)

Water absorption of corrugating medium: water drop absorption test, [T 835](#)

Water absorption of corrugating medium: water drop penetration test, [T 831](#)

Water immersion number of paperboard, [T 491](#)

Water content

see Moisture content

Water drop tests

Water absorption of corrugating medium: water drop absorption test, [T 835](#)

Water absorption of corrugating medium: water drop penetration test, [T 831](#)

Water immersion

see Submersion

Water immersion tests

see Water resistance

Water resistance

Water immersion number of paperboard, [T 491](#)

Water saturation

see Saturation

Water solubility

see Water solubles

Water solubles

Water-soluble chlorides in pulp and paper, [T 256](#)

Water-soluble sulfates in pulp and paper, [T 255](#)

Water solubility of wood and pulp, [T 207](#)

Water vapor permeability

Static creasing of paper for water vapor transmission tests, [T 465](#)

Water vapor transfer rate

see Water vapor transmission rate

Water vapor transmission rate (WVTR)

Water vapor transmission rate of paper and paperboard at 23°C and 50% RH, [T 448](#)

Water vapor transmission rate of paper and paperboard at high temperature and humidity, [T 464](#)

Water-soluble acidity

see Acidity

Water-soluble alkalinity

see Alkalinity

Wax

Determination in wood and pulp, [T 204](#)

Wax pick tests

Surface strength of paper (wax pick test), [T 459](#)

Wax strength number

see Wax pick tests

Wedge method

see Baled pulp

Weight

Basic density and moisture content of pulp wood, [T 258](#)

Weight/volume measurement of pulpwood, [T 268](#)

Weight fraction fines

Fines fraction by weight of paper stock by wet screening, [T 261](#)

Weight percent fines

Fines fraction by weight of paper stock by wet screening, [T 261](#)

Weight/area measurement

see Grammage

Weight/volume measurement

see Volume, Weight

Weighted average fiber length

see Fiber length

Wet abrasion test

see Abrasion

Wet ash method

Silicates and silica in pulp (Wet ash method), [T 245](#)

Wet curl

see Curl
 Wet density
 see Density
 Wet ply separation
 see Ply separation
 Wet screening
 see also Screening
 Fines fraction by weight of paper stock by wet screening, [T 261](#)
 Wet strength
 Tensile breaking strength of water-saturated paper and paperboard (“wet tensile strength”), [T 456](#)
 Wet tensile breaking strength
 see Tensile strength
 Wettability
 Surface wettability of paper (angle of contact method), [T 458](#)
 Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
 Wetting
 Surface wettability and absorbency of sheeted materials using an automated contact angle tester, [T 558](#)
 Wetting resistance
 see Wettability
 Wheat straw
 Species identification of nonwood plant fibers, [T 259](#)
 White liquors
 Analysis of soda and sulfate white and green liquors, [T 624](#)
 Determination of suspended solids in kraft green and white liquors [T 692](#)
 White waters
 Determination of titanium dioxide, [T 627](#)
 Measuring, sampling, and analyzing, [T 656](#)
 Whiteness
 Brightness of clay and other mineral pigments (d/0 diffuse), [T 534](#)
 CIE whiteness and tint of paper and paperboard (45/0 geometry, C/2 illuminant/observer), [T 562](#)
 CIE whiteness and tint of paper and paperboard (d/0 geometry, C/2 illuminant/observer), [T 560](#)
 Indices for whiteness, yellowness, brightness, and luminous reflectance factor, [T 1216](#)
 Wilson's stain
 see Fiber analysis, Staining
 Window envelopes
 Seal, seam, and window patch testing in, [T 516](#)
 Wire side
 Identification of in paper, [T 455](#)
 Wood
 Ash in wood, pulp, paper, and paperboard, [T 244](#)
 282
 Acid-insoluble lignin in wood and pulp, [T 222](#)
 Alcohol-benzene and dichloromethane solubles in, [T 204](#)
 Ash in wood, pulp, paper and paperboard: combustion at 525°C, [T 211](#)
 Ash in wood, pulp, paper and paperboard:

combustion at 900°C [T 413](#)
 Basic density and moisture content of pulp wood, [T 258](#)
 Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)
 Compression wood identification in pulpwood, [T 267](#)
 Identification of wood and fibers from conifers, [T 263](#)
 Natural dirt in wood chips, [T 265](#)
 One percent sodium hydroxide solubility of wood and pulp, [T 212](#)
 Pentosans in wood and pulp, [T 223](#)
 Preparation of for chemical analysis, [T 264](#)
 Sampling and preparing wood for analysis, [T 257](#)
 Water solubility of wood and pulp, [T 207](#)
 Wood chips
 see Chips
 Wood extractives
 see Extractives
 Wood fibers
 see Fibers
 Wood flour
 Specific external surface of pulp, [T 226](#)
 Wood pulp
 see Pulp
 Wood resins
 Solvent extractives in wood and pulp, [T 204](#)
 Wound rolls
 Determination of containerboard roll hardness, [T 834](#)
 Writing paper
 Coefficients of static and kinetic friction of uncoated writing and printing paper by use of the horizontal plane method, [T 549](#)
 Surface wettability of paper (angle of contact method), [T 458](#)
 Writing quality
 see Feathering
 WVTR
 see Water vapor transmission rate

X

Xenon lamps
 Accelerated light aging of printing and writing paper by xenon-arc exposure apparatus, [T 578](#)
 X-ray diffraction
 Analysis of talc, [T 665](#)
 Xylan
 Carbohydrate composition of extractive-free wood and wood pulp by gas-liquid chromatography, [T 249](#)

Y

Y reflectance
 Equivalent Black Area (EBA) and count of visible dirt in pulp, paper and paperboard by image analysis, [T 563](#)
 Yellowness coefficient

Accelerated light aging of printing and writing paper
by xenon-arc exposure apparatus, [T 578](#)

Indices for whiteness, yellowness, brightness, and
luminous reflectance factor, [T 1216](#)

Young's modulus

see Elastic strength

Z

Z-direction

Internal bond strength (Scott type), [T 569](#)

Z-directional tensile strength

see Tensile strength

Zero-span breaking strength

see Tensile strength

Zero-span tensile strength

see also Tensile strength

Zero-span breaking strength of pulp (dry zero-span
tensile), [T 231](#)

Zinc

Qualitative (including optical microscopic) analysis
of mineral filler and mineral coating of paper, [T 421](#)

Zinc oxide

see Pigments

Zinc sulfide

see Pigments